



FITTINGS FOR COMMERCIAL VEHICLES

PROFESSIONALITY
IN MOVEMENT

Catalogue no. C CT gb SA031 01

DACIA
DOKKER







A B Linings
Order no. PAN 218
Weight: 5,60 Kg

C Linings
Order no. PAR 211
Weight: 1,41 Kg

D Flooring* (9 mm)
Order no. PIL 980
Weight: 14,15 Kg

D Flooring* (12 mm)
Order no. PIL 222
Weight: 17,95 Kg



www.storevan.com
Search **DOK101**



Zone: 3
Order no. MDL 002
1016x365x900 mm h
Weight: 43,80 Kg



Zone: 3
Order no. MDL 003
1016x365x900 mm h
Weight: 52,20 Kg



Zone: 3
Order no. MDL 004
1016x365x900 mm h
Weight: 28,80 Kg



Zone: 3 5
Order no. MDL 005
717x365x900 mm h
Weight: 32,90 Kg



Zone: 3 5
Order no. MDL 006
717x365x900 mm h
Weight: 22,70 Kg



Zone: 5
Order no. MDL 007
717x365x900 mm h
Weight: 42,70 Kg



Order no. ACS 001



Order no. ACS 002



Order no. ACS 003



Order no. ACS 004



Order no. ACS 005



Order no. ACS 007



Order no. ACS 008



Order no. F22KTSIL3650001



Order no. ACS 009
(length 1000 mm)

Only for DOKKER with rear leaf doors




Order no. POT 221
2000x1400 mm
Weight: 21,65 Kg
Load capacity: 58 Kg

Only for DOKKER with rear leaf doors



Order no. POS 221
2192x1380 mm
Weight: 43,20 Kg
Load capacity: 36 Kg

*for DOKKER with sheet steel bulkhead, closing mesh bulkhead or tubular protection.



Horizontal retractable system*

Order no. PEO 203

Dimensions: **1080x1524x80 mm** (WxDxH)

Weight: **70,77 Kg**

System complete with:

- 1 phenolic coated wooden flooring with holes for fixing the extractable frame
- 1 horizontal extractable frame extension 60% load capacity 300 Kg complete with a shelf in phenolic wooden top and rubber protection
- 8 lashing hooks supports for load retaining belt
- 2 load retaining belts

The horizontal retractable system makes it easier to anchor the material transported and makes loading, unloading operations simpler



Vertical retractable system*

Order no. PEV 202

Vertical retractable system with module

Dimensions: **1234x355x1110 mm** (WxDxH)

Weight: **48,80 Kg**

Panel complete with:

- 1 vertical frame, extraction 50% load capacity 100 Kg, extraction 70% load capacity 75 Kg
- 1 module with 4 trays with rubber and 16 adjustable dividers

THE VERTICAL RETRACTABLE SYSTEM can only be mounted together with the wooden flooring order no. PIL 222.

The vertical retractable system makes it easier to take out the stored material



Part number description:

Order no. PAN: Polypropylene linings for:
- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Order no. PAR: Polypropylene linings for:
- upper section of rear leaf doors

Order no. PIL: 12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.



Order no. POT: Roof rack complete with:
- aluminium crossmembers with fixing connectors and rubber profile
- aluminium side upstands
- aluminium loading roller
- supplied with stainless steel screws for fixing

Order no. POS: Ladder rack complete with:
- aluminium crossmembers with fixing connectors and rubber profile
- aluminium side upstand
- aluminium loading roller
- ladder rack rail made from stainless steel and aluminium
- supplied with stainless steel screws for fixing

Order no. MDL002

Module complete with:
- tray with rubber and adjustable dividers
- drawers 2x100 mm h
- shelf with door
- hinged door

Order no. MDL003

Module complete with:
- trays with rubber and adjustable dividers
- drawer 1x150 mm h
- retractable shelves for tool cases complete with tool cases and boxes

Order no. MDL004-MDL006

Module complete with:
- trays with rubber and adjustable dividers

Order no. MDL005

Module complete with:
- tray with rubber and adjustable dividers
- drawers 2x100 mm h
- shelf with door

Order no. MDL007

Module complete with:
- trays with rubber and adjustable dividers
- retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



fami
Storage Systems www.famisp.com
www.storevan.com

