

Fittings for commercial vehicles

Mercedes-Benz



PROFESSIONALITY IN MOVEMENT

TERMS OF SUPPLY

- Floorings and linings supplied in several parts.
- Floorings, linings, roof racks and ladder racks are supplied **unassembled**.
- Modules are supplied **pre-assembled** complete with fixing material to the vehicle.
- For **product installation** we suggest to contact the expert assistance of our network of **authorised installation centers** (see back cover).
- The products are supplied including **packing**.
- Our products are covered by a **3-years warranty**.
- **Load capacity** data refer to **uniformly distributed loads** (p.u.d.)

CERTIFIED PRODUCTION

Successfully certified, Quality Assurance Certification since over ten years.



CRASH TEST STORE VAN



Passed the **CRASH TEST** carried out according to the recent European regulations. **ECE-R17** with impact at **50 Km/h**.

TESTED AND CERTIFIED SAFETY



STORE VAN has obtained the prestigious **GS** certification for its loading ramps and interior fittings.



STORE VAN also boasts the rare **GS** certification for the universal ladder rack.

Store Van

A TRADEMARK OF FAMI'S GROUP

Fami's constant focus on the market trends, combined with studies for customized products, has been the winning strategy also for the last born brand name – STORE VAN - which offers fittings for commercial vehicles of all types. The accurate designed modules and the perfect adaptability for the most different personalised projects, confirmed the quality and supremacy of Store Van's components.

The achieved success allowed Store Van to become one of the most reliable and popular supplier among the international commercial vehicles producers.



PROFESSIONALITY IN MOVEMENT

Store Van first introduced an innovative installation system without drilling the van bodyworks to fix the equipments, guaranteeing functionality, quality, steadiness and aesthetic features, both for estate cars and for large vans and fleets.

LOGISTIC QUALITY SYSTEMS













Fami's strategy develops through products versatility, while each project becomes exclusive and customised. This strategy, along with advanced industrial processes, originates fitting systems suitable to meet all customers' requirements.

Fami, one of the leading Company in the field of industrial storage systems, gives priority to the technological features but also considers the design and the "soul" of the product, signing each article with a perfect balance of technology and "heart".



Fami stands out for its high technology and original solutions, like industrial storage, work stations and conductive systems for the electronic industry. All Company's advanced solutions can be employed and diversified in different applications, becoming Fami the leading Company in its field as far competence and competitiveness.



	MODEL	VEHICLE DATA	PAGE
	Vito panel van Compact	4,65 m ³ L1 H1 wheelbase 3200 mm height 1902 mm	17-20
	Vito panel van Long	5,19 m ³ L1L H1 wheelbase 3200 mm height 1902 mm	21-24
	Vito panel van Long high roof	6,49 m ³ L1L H2 wheelbase 3200 mm height 2328 mm	25-26
	Vito panel van Extra Long	5,68 m ³ L2 H1 wheelbase 3430 mm height 1902 mm	27-30
	Sprinter panel van 3,0 / 3,5 t short standard roof	7,5 m ³ L1 H1 wheelbase 3250 mm height 2415 mm	35-38
	Sprinter panel van 3,0 / 3,5 / 4,6 / 5,0 t medium standard roof	9 m ³ L2 H1 wheelbase 3665 mm height 2415 mm	39-42
	Sprinter panel van 3,0 / 3,5 / 4,6 / 5,0 t medium high roof	10,5 m ³ L2 H2 wheelbase 3665 mm height 2700 mm	43-46
	Sprinter panel van 3,5 / 4,6 / 5,0 t medium super-high roof	11,5 m ³ L2 H3 wheelbase 3665 mm height 2930 - 3030 mm	47-50
	Sprinter panel van 3,5 / 4,6 / 5,0 t long high roof	14 m ³ L3 H2 wheelbase 4325 mm height 2700 - 2800 mm	51-54
	Sprinter panel van 3,5 / 4,6 / 5,0 t long super-high roof	15,5 m ³ L3 H3 wheelbase 4325 mm height 2930 - 3030 mm	55-58
	Sprinter panel van 3,5 / 4,6 / 5,0 t extra-long high roof	15,5 m ³ L3L H2 wheelbase 4325 mm height 2700 - 2800 mm	59-62
	Sprinter panel van 3,5 / 4,6 / 5,0 t extra-long super-high roof	17 m ³ L3L H3 wheelbase 4325 mm height 2935 - 3030 mm	63-66



LININGS

4 mm thick polypropylene honeycomb linings with scratchproof surface. Lightweight and robust.



FLOORINGS

Pre-shaped loading floors in one or more jointed pieces with extruded aluminium inserts. Made of 12 mm thick birch and conifer phenolic multi-ply, resin-bonded on both faces and a wear-resistant and slip-proof surface treatment.



DRAWERS

Easy and intuitive one hand opening with handle operated opening and closing safety stop. Wide range of dividing options of the drawers by means of plastic or metal accessories.


Load capacity: 50 Kg



RETRACTABLE SHELVES

Retractable shelves for one or two tool cases with the possibility of introducing tool cases with different heights and depths.

Load capacity: 50 Kg



VICE WORKBENCHES

Retractable vice workbench complete with steel vice, swivel base, jaws width 100 mm.

Technical features

TALENTO ladder rack rails with **lowering system** with brake for ladders weight up to 60 kg.



ALADIN ladder rack rails with **servo-assisted lowering and lifting system** for ladders weight up to 60 kg.



LOADING RAMPS



Servo assisted loading ramps with tubular steel structure and knurled slip-proof aluminium platform. Connection to the vehicle by means of a telescopic column and self-positioning feet.

Load capacity from: 600 to 1500 Kg.



292 mm DEEP TOOL CASES

**Order no. VAL 001****Case with boxes**

Dim. 438x292x67 mm (WxDxH)
Internal solutions with:
2 green, 2 blue, 5 yellow,
10 red boxes.

**Order no. VAL 002****Case with boxes**

Dim. 438x292x67 mm (WxDxH)
Internal solutions with: 8 blue,
8 red boxes.

**Order no. VAL 003****Case with boxes**

Dim. 438x292x102 mm (WxDxH)
Internal solutions with: 2 blue,
2 green, 5 yellow, 10 red boxes.
Upper tray with 20 red and 10
yellow boxes.

**Order no. VAL 004****Case with boxes**

Dim. 438x292x102 mm (WxDxH)
Internal solutions with:
4 green, 4 blue boxes.
Upper tray with 20 red and
10 yellow boxes.

343 mm DEEP TOOL CASES

**Order no. VAL 005****Case with boxes**

Dim. 438x343x67 mm (WxDxH)
Internal solutions with:
2 green, 3 blue, 6 yellow,
12 red boxes.

**Order no. VAL 006****Case with boxes**

Dim. 438x343x67 mm (WxDxH)
Internal solutions with:
8 green boxes.

**Order no. VAL 007****Case with boxes**

Dim. 438x343x102 mm (WxDxH)
Internal solutions with:
2 green, 3 blue, 6 yellow, 12 red
boxes.
Upper tray with 24 red and 12 yellow
boxes.

**Order no. VAL 008****Case with boxes**

Dim. 438x343x102 mm (WxDxH)
Internal solutions with:
12 blue boxes.
Upper tray with 24 red and 12 yellow
boxes.

ACCESSORIES FOR MODULES



Order no. ACS 001
Hand washing kit



Order no. ACS 002
Can holder kit with 20 litres capacity metal can



Order no. ACS 003
Supports with belt strap for gas cylinders and extinguishers



Order no. ACS 004
First aid kit



Order no. ACS 005
Paper towel holder kit with paper towel
Ø 140 mm



Order no. ACS 006
DIN A4 document holder



Order no. ACS 007
Spray-can holder kit



Order no. ACS 008
Painted aluminium cable saddles

LOAD RETAINING BARS AND BELTS



Load retaining bar kit available in 3 dimensions:

Order no. ACS 009
Load retaining bar length 1000 mm
Pair of polyester belts length 3260 mm

Order no. ACS 010
Load retaining bar length 1500 mm
Pair of polyester belts length 3260 mm

Order no. ACS 011
Load retaining bar length 2000 mm
Pair of polyester belts length 3260 mm

CRANES



Revolving crane with positioning brake and folding arm. Including 12 V motor and lifting hook sliding on an aluminium guide and electric limit switch, equipped with remote control with cable.

Load capacity from: 150 to 190 Kg.

OPTIONAL ACCESSORY NOT AVAILABLE FOR ALL VEHICLES MODELS

COMPRESSORS AND RETRACTABLE HORIZONTAL SYSTEMS



Retractable horizontal aluminium frames. Mechanical stop of the frame in opening and closing.

Possibility of blocking the shelf in any opening position.

Load capacity: 300 Kg.

Extraction: 60 %

Vertical compressors 220V - 380V.

Capacity: 50 - 100 LT



COLLAPSIBLE VICE WORKBENCHES



Collapsible vice workbenches with floor support.

Work bench height adjustable.

Top width: 240 / 340 mm

Depth: 1150 mm



LIFTING DOORS



Lifting doors with assisted opening.

Length: 508 / 717 / 1016 / 1225 / 1524 mm

Useful height: 350 / 400 mm



SHELVES



Shelves available for modules:

Length: 508 / 717 / 1016 / 1225 / 1524 mm

Depth: 265 / 365 mm

Front height: 35 mm

Back height: 100 mm

Available with or without polypropylene containers

Strategically strong



VITO L1L H1 - 5,19 m³

- › **FAST ASSEMBLY**
- › **TOTAL MODULARITY**
- › **SAFETY SOUND ABSORBING ELEMENTS BETWEEN THE VARIOUS METAL COMPONENTS**
- › **ERGONOMIC SHAPES**
- › **HEIGHT ADJUSTMENT IN PITCH OF 25 mm OF THE VARIOUS ELEMENTS**

Vehicle equipped with:


- 1 ord. no. POS 105 ladder rack (ladder not supplied)
- 1 ord. no. PIL 105 wooden flooring
- 1 ord. no. PAN 108 polypropylene linings
- 1 ord. no. PAR 104 polypropylene linings
- 1 ord. no. MDL 008 module
- 1 ord. no. MDL 012 module
- 1 ord. no. MDL 013 module
- 1 ord. no. MDL 038 module
- 1 ord. no. SFM 250 fixing bars
- 1 ord. no. ACS 004 first aid kit
- 1 ord. no. ACS 007 spray cans holder
- 1 ord. no. ACS 005 paper roll holder with paper roll
- 1 ord. no. ACS 003 support with belt for gas cylinders and extinguishers (extinguisher not supplied)




VITTO





**FLOORINGS AND LININGS**

with RH side sliding door and rear leaf doors, sheet metal side walls



A + B Polypropylene linings
Order no. PAN 106

Weight: **8,65 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Technical
features,
see page 5

C Polypropylene linings
Order no. PAR 104

Weight: **1,25 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 104

Weight: **28,90 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.



F Bulkhead
Order no. PIR 102

Weight: **3,85 Kg**

12 mm wooden phenolic coated bulkhead panel.

FLOORINGS AND LININGS

with RH side sliding door and lower lift door, sheet metal side walls



A + B Polypropylene linings
Order no. PAN 107

Weight: **8,80 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower part of lift door

Technical
features,
see page 5

C Polypropylene linings
Order no. PAR 105

Weight: **1,10 Kg**

Polypropylene linings for:

- upper part of sheet metal lift door

D Flooring
Order no. PIL 104

Weight: **28,90 Kg**


12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 102

Weight: **3,85 Kg**

12 mm wooden phenolic coated bulkhead panel.

4,65 m³
L1 H1 wheelbase 3200 mm



ROOF RACK only for VITO COMPACT with rear leaf doors



Order no. POT 104

Dimensions: **2750x1600 mm** (WxD)
Weight: **25,80 Kg**

Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 2750 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 127 Kg (p.u.d.)

LADDER RACK only for VITO COMPACT with rear leaf doors



The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 104

Dimensions: **2750x1580 mm** (WxD)
Weight: **52,10 Kg**

Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 1 2750 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **TALENTO** series, length 2650 mm
- 1 aluminium connection crossmember

Supplied with **stainless steel** screws for fixing.

Load capacity: 98 Kg (p.u.d.)

Technical
features,
see page 7

READY SOLUTIONS



Order no. MDL S01

Dimensions: **1733x365x1200 mm** (WxDxH). Weight: **43,25 Kg**

Module complete with:

- 3 trays with rubber and 15 adjustable dividers
- 1 fixing bar length 2500 mm



Order no. MDL 007

Dimensions: **717x365x900 mm** (WxDxH). Weight: **42,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



MODULES 717 MM

Technical
Features,
see page 5

Accessories
see page 9



Suitable to be installed in the zone: **2 5**

Order no. MDL 005

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **32,9 Kg**

Module complete with:

- 1 tray with rubber and 2 adjustable dividers
- 2 drawers
- 1 shelf with door



Suitable to be installed in the zone: **2 5**


Order no. MDL 006

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **22,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers



Suitable to be installed in the zone: **5**

Order no. MDL 007

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **42,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



Suitable to be installed in the zone: **2**


Order no. MDL 011

Dimensions: **717x365x900 mm** (WxDxH)


Weight: **20 Kg**

Module complete with:

- 1 tray with rubber and 2 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases




Layout example
of LH side



Layout example
of RH side

4,65 m³
L1 H1 wheelbase 3200 mm



MODULES 1016 MM



Suitable to be installed in the zone: **3**

Order no. MDL 008

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **41,7 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **3**

Order no. MDL 009

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,4 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers



Suitable to be installed in the zone: **3**

Order no. MDL 010

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes

ADD-ON MODULE 1733 MM



Suitable to be installed in the zone: **2 + 3**


Order no. MDL 037

Dimensions: **1733x265x300 mm** (WxDxH)

Weight: **10,80 Kg**

Module complete with:

- 1 tray with rubber and 5 adjustable dividers



Order no. SFM 250

Fixing bar: **2500x30x35 mm** (WxDxH)

Weight: **2,2 Kg**



Fixing bar for upper modules, complete with brackets, bolts and screws.

The bar is necessary to fix the additional MDL 037 module to the vehicle.



**FLOORINGS AND LININGS**

with RH side sliding door and rear leaf doors, sheet metal side walls



A + B Polypropylene linings
Order no. PAN 108

Weight: 9,60 Kg

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Technical
features,
see page 5

C Polypropylene linings
Order no. PAR 104

Weight: 1,25 Kg

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 105

Weight: 32,25 Kg

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.



F Bulkhead
Order no. PIR 102

Weight: 3,85 Kg

12 mm wooden phenolic coated bulkhead panel.

FLOORINGS AND LININGS

with RH side sliding door and lower lift door, sheet metal side walls



A + B Polypropylene linings
Order no. PAN 109

Weight: 9,75 Kg

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower part of lift door

Technical
features,
see page 5

C Polypropylene linings
Order no. PAR 105

Weight: 1,10 Kg

Polypropylene linings for:

- upper part of sheet metal lift door

D Flooring
Order no. PIL 105

Weight: 32,25 Kg


12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 102

Weight: 3,85 Kg

12 mm wooden phenolic coated bulkhead panel.

5,19 m³
L1L H1 wheelbase 3200 mm



ROOF RACK only for VITO LONG with rear leaf doors



Order no. POT 105

Dimensions: **3000x1600 mm** (WxD)
Weight: **28,50 Kg**

Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 3000 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 122 Kg (p.u.d.)

LADDER RACK only for VITO LONG with rear leaf doors



The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 105

Dimensions: **3240x1580 mm** (WxD)
Weight: **55 Kg**

Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 1 3000 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **TALENTO** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 95 Kg (p.u.d.)

Technical
features,
see page 7

READY SOLUTIONS



Order no. MDL S02

Dimensions: **2032x365x1200 mm** (WxDxH). Weight: **46,35 Kg**

Module complete with:

- 3 trays with rubber and 15 adjustable dividers
- 1 fixing bar length 3000 mm




Order no. MDL 010

Dimensions: **1016x365x900 mm** (WxDxH). Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes



MODULES 1016 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 008

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **41,7 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 009

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,4 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 010

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2**

Order no. MDL 012

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,2 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5**

Order no. MDL 013



Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **49,7 Kg**


Module complete with:

- 3 trays with rubber and 9 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

Technical features, see page 5
Accessories see page 9




Layout example of LH side



Layout example of RH side

5,19 m³
L1L H1 wheelbase 3200 mm



ADD-ON MODULE 2032 MM



Suitable to be installed in the zone: **2** + **3**


Order no. MDL 038

Dimensions: **2032x265x300 mm** (WxDxH)

Weight: **11,20 Kg**

Module complete with:

1 tray with rubber and 5 adjustable dividers



Order no. SFM 250



Fixing bar: **2500x30x35 mm** (WxDxH)

Weight: **2,2 Kg**

Fixing bar for upper modules, complete with brackets, bolts and screws.



The bar is necessary to fix the additional MDL 038 module to the vehicle.





FLOORINGS AND LININGS

with RH side sliding door and rear leaf doors, sheet metal side walls



A + **B** Polypropylene linings

Order no. **PAN 110**

Weight: **9,65 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Technical
features,
see page 5

C Polypropylene linings

Order no. **PAR 106**

Weight: **2,05 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring

Order no. **PIL 105**

Weight: **32,25 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead

Order no. **PIR 102**

Weight: **3,85 Kg**

12 mm wooden phenolic coated bulkhead panel.

READY SOLUTIONS




MDL S02

Order no. **MDL S02**

Dimensions: **2032x365x1200 mm** (WxDxH). Weight: **46,35 Kg**

Module complete with:

- 3 trays with rubber and 15 adjustable dividers
- 1 fixing bar length 3000 mm



MDL 010

Order no. **MDL 010**

Dimensions: **1016x365x900 mm** (WxDxH). Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes



MODULES 1016 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 008

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **41,7 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2 3 5**

Order no. MDL 009

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,4 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 010

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **2**

Order no. MDL 012

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,2 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5**

Order no. MDL 013

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **49,7 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

ADD-ON MODULE 2032 MM



Suitable to be installed in the zone: **2 + 3**


Order no. MDL 038

Dimensions: **2032x265x300 mm** (WxDxH)

Weight: **11,20 Kg**

Module complete with:

- 1 tray with rubber and 5 adjustable dividers



Order no. SFM 250

Fixing bar: **2500x30x35 mm** (WxDxH)



Weight: **2,2 Kg**

Fixing bar for upper modules, complete with brackets, bolts and screws.


The bar is necessary to fix the additional MDL 038 module to the vehicle.

Technical features, see page 5


Accessories see page 9





Layout example of LH side



Layout example of RH side

**FLOORINGS AND LININGS**

with RH side sliding door and rear leaf doors, sheet metal side walls



A + B Polypropylene linings
Order no. PAN 111

Weight: 10,40 Kg

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Technical
features,
see page 5

C Polypropylene linings
Order no. PAR 104

Weight: 1,25 Kg

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 106

Weight: 35,20 Kg

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.



F Bulkhead
Order no. PIR 102

Weight: 3,85 Kg

12 mm wooden phenolic coated bulkhead panel.

FLOORINGS AND LININGS

with RH side sliding door and lower lift door, sheet metal side walls



A + B Polypropylene linings
Order no. PAN 112

Weight: 10,55 Kg

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower part of lift door

Technical
features,
see page 5

C Polypropylene linings
Order no. PAR 105

Weight: 1,10 Kg

Polypropylene linings for:

- upper part of sheet metal lift door

D Flooring
Order no. PIL 106

Weight: 35,20 Kg


12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 102

Weight: 3,85 Kg

12 mm wooden phenolic coated bulkhead panel.

5,68 m³
L2 H1 wheelbase 3430 mm



VITO EXTRA LONG
panel van

ROOF RACK only for VITO EXTRA LONG with rear leaf doors



Order no. POT 106

Dimensions: **3400x1600 mm** (WxD)
Weight: **29,70 Kg**

Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 3400 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 121 Kg (p.u.d.)

LADDER RACK only for VITO EXTRA LONG with rear leaf doors



The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 106

Dimensions: **3400x1580 mm** (WxD)
Weight: **56,90 Kg**

Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 1 3400 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **TALENTO** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 93 Kg (p.u.d.)

Technical
features,
see page 7

READY SOLUTIONS




Order no. MDL S02

Dimensions: **2032x365x1200 mm** (WxDxH). Weight: **46,35 Kg**

Module complete with:

- 3 trays with rubber and 15 adjustable dividers
- 1 fixing bar length 3000 mm




Order no. MDL 010

Dimensions: **1016x365x900 mm** (WxDxH). Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes



MODULES 1016 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 008

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **41,7 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 009

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,4 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 010

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2**

Order no. MDL 012

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,2 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5**

Order no. MDL 013

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **49,7 Kg**


Module complete with:

- 3 trays with rubber and 9 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp


Technical features, see page 5

Accessories see page 9


*approximate measurement



800 mm*




Layout example of LH side



Layout example of RH side

SFM 300

5,68 m³
L2 H1 wheelbase 3430 mm



VITO EXTRA LONG
panel van

ADD-ON MODULE 2032 MM



Suitable to be installed in the zone: **2** + **3**


Order no. MDL 038

Dimensions: **2032x265x300 mm** (WxDxH)

Weight: **11,20 Kg**

Module complete with:

1 tray with rubber and 5 adjustable dividers



Order no. SFM 300

Fixing bar: **3000x30x35 mm** (WxDxH)

Weight: **2,6 Kg**

Fixing bar for upper modules, complete with brackets, bolts and screws.

The bar is necessary to fix the additional MDL 038 module to the vehicle.



Strategically strong



Sprinter L2 H2 - 10,5 m³

- › **FAST ASSEMBLY**
- › **TOTAL MODULARITY**
- › **SAFETY SOUND ABSORBING ELEMENTS BETWEEN THE VARIOUS METAL COMPONENTS**
- › **ERGONOMIC SHAPES**
- › **HEIGHT ADJUSTMENT IN PITCH OF 25 mm OF THE VARIOUS ELEMENTS**

Vehicle equipped with:

1 order no. POS 109	ladder rack (ladder not supplied)
1 order no. PIL 108	wooden floorings
1 order no. PAN 115	polypropylene linings
1 order no. PAR 108	polypropylene linings
1 order no. MDL 125	module
1 order no. MDL 123	module
1 order no. MDL 120	module
1 order no. SFM 350	Fixing bar
1 order no. SFM 200	Fixing bar
1 order no. ACS 001	hand washing kit
1 order no. ACS 004	first aid kit
1 order no. ACS 005	paper roll holder Ø 140 mm
1 order no. ACS 007	spray cans holder
2 order no. ACS 003	support with belt for gas cylinders and extinguishers (extinguisher not supplied)




SPRINTER








FLOORINGS AND LININGS



Sprinter 3,0/3,5 t
with RH side sliding door and
rear leaf doors,
sheet metal side walls



A + B Polypropylene linings
Order no. PAN 113

Weight: **13,61 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Technical
features,
see page 5

C Polypropylene linings
Order no. PAR 107

Weight: **1,63 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 107

Weight: **33,26 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 103

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.

ROOF RACK



Order no. POT 107

Dimensions: **2750x1700 mm** (WxD)

Weight: **26,70 Kg**

Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 2750 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 174 Kg (p.u.d.)

Technical
features,
see page 7

LADDER RACK

The ladder rack slide can be mounted on the right or on the left hand side of the vehicle



Order no. POS 107

Dimensions: **2750x1680 mm** (WxD)

Weight: **57 Kg**

Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 1 2750 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 2650 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 143 Kg (p.u.d.)

7,5 m³
L1 H1 wheelbase 3250 mm



SPRINTER PANEL VAN short
standard roof


LOADING RAMP

Order no. RAM 101

Dimensions: **1150x2500 mm** (WxD)
Weight: **114,65 Kg**

Swivel loading ramp.

Load capacity: **1000 Kg**
(p.u.d.)



If the loading ramp is fitted, the MDL modules for the areas **3** and **5** cannot be installed.

If you wish to install modules in areas **3** and **5**, you need to ask your nearest STORE VAN distributor for a project feasibility study.

Technical
features,
see page 8

READY SOLUTIONS



Order no. MDL 030

Dimensions: **2032x365x1200 mm** (WxDxH). Weight: **45,15 Kg**
Module complete with:
3 trays with rubber and 15 adjustable dividers




Order no. MDL 014

Dimensions: **1016x365x1200 mm** (WxDxH). Weight: **49,4 Kg**
Module complete with:
2 trays with rubber and 6 adjustable dividers
2 drawers
1 shelf with door
1 hinged door



MODULES 1016 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 014

Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **49,4 Kg**

Module complete with:

- 2 trays with rubber and 6 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2 3 5**

Order no. MDL 015

Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **48,3 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **2 3 5**

Order no. MDL 016

Dimensions: **1016x365x1200 mm** (WxDxH)



Weight: **33,2 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers

Technical features, see page 5
Accessories see page 9

*approximate measurement



Suitable to be installed in the zone: **2**

Order no. MDL 017

Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **33 Kg**

Module complete with:

- 2 trays with rubber and 6 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

Suitable to be installed in the zone: **5**


Order no. MDL 018

Dimensions: **1016x365x1200 mm** (WxDxH)


Weight: **57,5 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



Layout example of LH side



Layout example of RH side

7,5 m³
L1 H1 wheelbase 3250 mm



SPRINTER PANEL VAN short
standard roof

MODULES 1225 MM



Suitable to be installed in the zone: **3 5**

Order no. MDL 020

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **57,35 Kg**

Module complete with:

- 2 trays with rubber and 8 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **3 5**

Order no. MDL 021

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **55,35 Kg**

Module complete with:

- 3 trays with rubber and 12 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **3 5**

Order no. MDL 022

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **39,40 Kg**


Module complete with:

- 4 trays with rubber and 16 adjustable dividers





FLOORINGS AND LININGS



Sprinter 3,0/3,5/4,6 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. PAN 114

Weight: 16,71 Kg

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 107

Weight: 1,63 Kg

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 108


Weight: 41,92 Kg

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.


F Bulkhead
Order no. PIR 103

Weight: 8,95 Kg

12 mm wooden phenolic coated bulkhead panel.



FLOORINGS AND LININGS



Sprinter 5,0 t
with RH lateral sliding door
and hinged rear doors,
sheet metal clad walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. PAN 114

Weight: 16,71 Kg

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 107

Weight: 1,63 Kg

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 109


Weight: 38,98 Kg

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.


F Bulkhead
Order no. PIR 103

Weight: 8,95 Kg

12 mm wooden phenolic coated bulkhead panel.



9 m³
L2 H1 wheelbase 3665 mm



SPRINTER PANEL VAN medium
standard roof

ROOF RACK



Order no. POT 108

Dimensions: **3400x1700 mm** (WxD)
Weight: **30,6 Kg**

Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 3400 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 170 Kg (p.u.d.)

Technical
features,
see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 108

Dimensions: **3400x1680 mm** (WxD)
Weight: **61,90 Kg**

Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 1 3400 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 138 Kg (p.u.d.)


LOADING RAMP

Order no. RAM 101

Dimensions: **1150x2500 mm** (WxD)
Weight: **114,65 Kg**

Swivel loading ramp.

Load capacity: 1000 Kg
(p.u.d.)



The swivel loading ramp can be installed also when the modules are fitted.
If the loading ramp is fitted, the MDL modules for the areas **3** and **5** must not be longer than 1225 mm.
It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.


Technical
features,
see page 8

READY SOLUTIONS



Order no. MDL S03

Dimensions: **2749x365x1200 mm** (WxDxH). Weight: **75,25 Kg**
Set of 2 modules complete with:
7 trays with rubber and 27 adjustable dividers



Order no. MDL 015

Dimensions: **1016x365x1200 mm** (WxDxH). Weight: **48,3 Kg**
Module complete with:
3 trays with rubber and 9 adjustable dividers
1 drawer
1 retractable shelf for tool cases complete with tool cases and boxes



MODULES 1016 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 014

Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **49,4 Kg**

Module complete with:

- 2 trays with rubber and 6 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 015


Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **48,3 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

*approximate measurement



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 016

Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **33,2 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers



Suitable to be installed in the zone: **2**


Order no. MDL 017

Dimensions: **1016x365x1200 mm** (WxDxH)


Weight: **33 Kg**

Module complete with:


- 2 trays with rubber and 6 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Layout example of LH side



Layout example of RH side



MODULES 1225 MM

MODULES 1524 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 020

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **57,35 Kg**

Module complete with:

- 2 trays with rubber and 8 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2 3 5**

Order no. MDL 021

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **55,35 Kg**

Module complete with:

- 3 trays with rubber and 12 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**

Order no. MDL 025

Dimensions: **1524x365x1200 mm** (WxDxH)

Weight: **47,45 Kg**

Module complete with:

- 4 trays with rubber and 20 adjustable dividers



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 022

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **39,40 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers

Suitable to be installed in the zone: **2**

Order no. MDL 023

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **39,05 Kg**

Module complete with:

- 2 trays with rubber and 8 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5**

Order no. MDL 024

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **66,45 Kg**

Module complete with:


- 4 trays with rubber and 16 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

Technical
features,
see page 5

Accessories
see page 9



FLOORINGS AND LININGS



Sprinter 3,0/3,5/4,6 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. PAN 115

Weight: **19,98 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 108

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 108


Weight: **41,92 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports


F Bulkhead
Order no. PIR 103

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.



FLOORINGS AND LININGS



Sprinter 5,0 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. PAN 115

Weight: **19,98 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 108

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 109


Weight: **38,98 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 103

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.



10,5 m³
L2 H2 wheelbase 3665 mm



SPRINTER PANEL VAN medium
high roof

44

ROOF RACK



Order no. POT 109

Dimensions: **3400x1700 mm** (WxD)
Weight: **30,6 Kg**

Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 3400 mm long aluminium side upstands
- 1 aluminium loading roller


Supplied with **stainless steel** screws for fixing.

Load capacity: 120 Kg (p.u.d.)

Technical
features,
see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 109

Dimensions: **3400x1680 mm** (WxD)
Weight: **61,90 Kg**

Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 1 3400 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 88 Kg (p.u.d.)


LOADING RAMP

Order no. RAM 102

Dimensions: **1150x3000 mm** (WxD)
Weight: **141,65 Kg**

Swivel loading ramp.

Load capacity: 1500 Kg (p.u.d.)



The swivel loading ramp can be installed also when the modules are fitted.
If the loading ramp is fitted, the MDL modules for the areas **3** and **5** must not be longer than 1225 mm. It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

Technical
features,
see page 8

READY SOLUTIONS



Order no. MDL S04

Dimensions: **2749x365x1700 mm** (WxDxH)
Weight: **103,68 Kg**

Set of 2 modules complete with:

- 10 trays with rubber and 38 adjustable dividers
- 1 fixing bar length 3500 mm



Order no. MDL S05

Dimensions: **1016x365x1700 mm** (WxDxH). Weight: **63,68 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes
- 1 fixing bar length 2000 mm



MODULES 1016 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 114

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **62,90 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 115


Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,80 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

*approximate measurement



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 116

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,70 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers



Suitable to be installed in the zone: **2**


Order no. MDL 117

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,50 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Layout example of LH side



Layout example of RH side



MODULES 1225 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2 3 5**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers

Suitable to be installed in the zone: **2**

Order no. MDL 123

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **54,65 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5**

Order no. MDL 124

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **82,05 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

MODULES 1524 MM




Suitable to be installed in the zone: **3 5**

Order no. MDL 125

Dimensions: **1524x365x1700 mm** (WxDxH)
Weight: **65,35 Kg**

Module complete with:

- 6 trays with rubber and 30 adjustable dividers




Order no. SFM 350

Fixing bar: **3500x30x35 mm** (LxPxH)
Weight: **2,93 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.



Order no. SFM 200

Fixing bar: **2000x30x35 mm** (WxDxH)
Weight: **1,88 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.


The bar is necessary to fix the modules to the vehicle.

Technical features, see page 5

Accessories see page 9




FLOORINGS AND LININGS



Sprinter 3,5/4,6 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5



A + B Polypropylene linings
Order no. PAN 115

Weight: **19,98 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 108

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 108

Weight: **41,92 Kg**


12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 103

Weight: **8,95 Kg**


12 mm wooden phenolic coated bulkhead panel.

FLOORINGS AND LININGS



Sprinter 5,0 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5



A + B Polypropylene linings
Order no. PAN 115

Weight: **19,98 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 108

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 109

Weight: **38,98 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 103

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.

11,5 m³
L2 H3 wheelbase 3665 mm



SPRINTER PANEL VAN medium
super-high roof

48


LOADING RAMP

Order no. RAM 102

Dimensions: **1150x3000 mm** (WxD)
Weight: **141,65 Kg**

Swivel loading ramp.

Load capacity: **1500 Kg**
(p.u.d.)



The swivel loading ramp can be installed also when the modules are fitted.
If the loading ramp is fitted, the MDL modules for the areas **3** and **5** must not be longer than 1225 mm.
It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

Technical
features,
see page 8

READY SOLUTIONS



MDL S04

Order no. MDL S04

Dimensions: **2749x365x1700 mm** (WxDxH)
Weight: **103,68 Kg**

Set of 2 modules complete with:
10 trays with rubber and 38 adjustable dividers
1 fixing bar length 3500 mm



MDL S05

Order no. MDL S05

Dimensions: **1016x365x1700 mm** (WxDxH). Weight: **63,68 Kg**
Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes
- 1 fixing bar length 2000 mm



MODULES 1016 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 114

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **62,90 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 115


Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,80 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

*approximate measurement



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 116

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,70 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers



Suitable to be installed in the zone: **2**


Order no. MDL 117

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,50 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Layout example of LH side



Layout example of RH side



MODULES 1225 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2 3 5**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers

Suitable to be installed in the zone: **2**

Order no. MDL 123

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **54,65 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5**

Order no. MDL 124

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **82,05 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

MODULES 1524 MM




Suitable to be installed in the zone: **3 5**

Order no. MDL 125

Dimensions: **1524x365x1700 mm** (WxDxH)
Weight: **65,35 Kg**

Module complete with:

- 6 trays with rubber and 30 adjustable dividers




Order no. SFM 350

Fixing bar: **3500x30x35 mm** (WxDxH)
Weight: **2,93 Kg**

Fixing bar for upper modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.



Order no. SFM 200


Fixing bar: **2000x30x35 mm** (WxDxH)
Weight: **1,88 Kg**

Fixing bar for upper modules, complete with brackets, bolts and screws.


The bar is necessary to fix the modules to the vehicle.

Technical features, see page 5

Accessories see page 9



FLOORINGS AND LININGS



Sprinter 3,5/4,6 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. PAN 116

Weight: **28,02 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 108

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 110


Weight: **57,12 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.


F Bulkhead
Order no. PIR 103

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.



FLOORINGS AND LININGS



Sprinter 5,0 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. PAN 116

Weight: **28,02 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 108

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 111

Weight: **54,26 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.


F Bulkhead
Order no. PIR 103

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.



14 m³
L3 H2 wheelbase 4325 mm



SPRINTER PANEL VAN long
high roof

52

ROOF RACK



Order no. POT 110

Dimensions: **4350x1700 mm** (WxD)
Weight: **42,90 Kg**

Roof rack complete with:

- 6 aluminium crossmembers with fixing connectors and rubber profile
- 2 4350 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 108 Kg (p.u.d.)

Technical features,
see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 110

Dimensions: **4350x1680 mm** (WxD)
Weight: **68 Kg**

Ladder rack complete with:

- 5 aluminium crossmembers with fixing connectors and rubber profile
- 1 4350 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 82 Kg (p.u.d.)


LOADING RAMP

Order no. RAM 102

Dimensions: **1150x3000 mm** (WxD)
Weight: **141,65 Kg**

Swivel loading ramp.

Load capacity: 1500 Kg (p.u.d.)



The swivel loading ramp can be installed also when the modules are fitted.

If the loading ramp is installed the article **MDL 126 cannot be installed** in area **5**.

It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

Technical features,
see page 8

READY SOLUTIONS



Order no. MDL S06

Dimensions: **3765x365x1700 mm** (WxDxH)
Weight: **115,38 Kg**

Set of 2 modules complete with:

- 8 trays with rubber and 40 adjustable dividers
- 1 fixing bar length 4500 mm




Order no. MDL S07

Dimensions: **1942x365x1700 mm** (WxDxH). Weight: **113,65 Kg**

Set of 2 modules complete with:

- 8 trays with rubber and 24 adjustable dividers, 2 shelves with doors,
- 1 connection bar with fixing belts for tool cases, 2 drawers,
- 1 hinged door, 1 fixing bar length 3000 mm



MODULES 717 MM



Suitable to be installed in the zone: **5a**


Order no. MDL 119

Dimensions: **717x365x1700 mm** (WxDxH)
Weight: **38,10 Kg**

Module complete with:

- 4 trays with rubber and 8 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

MODULES 1016 MM



Suitable to be installed in the zone: **2 2a 3 5**

Order no. MDL 114

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **62,90 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2 2a 3 5**


Order no. MDL 115

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **61,80 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

*approximate measurement



Suitable to be installed in the zone: **2 2a 3 5**

Order no. MDL 116

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **46,70 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers




Suitable to be installed in the zone: **2 2a**

Order no. MDL 117


Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **46,50 Kg**

Module complete with:


- 4 trays with rubber and 12 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Layout example of LH side



Layout example of RH side



MODULES 1225 MM

MODULES 1524 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2 3 5**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**

Order no. MDL 125

Dimensions: **1524x365x1700 mm** (WxDxH)
Weight: **65,35 Kg**

Module complete with:

- 6 trays with rubber and 30 adjustable dividers



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers

Suitable to be installed in the zone: **2**

Order no. MDL 123

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **54,65 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5**

Order no. MDL 126

Dimensions: **1524x365x1700 mm** (WxDxH)
Weight: **104,80 Kg**

Module complete with:

- 6 trays with rubber and 30 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



Order no. SFM 450

Fixing bar: **4500x30x35 mm** (WxDxH)
Weight: **3,78 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.

Order no. SFM 300



Fixing bar: **3000x30x35 mm** (WxDxH)
Weight: **2,60 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.

Technical features, see page 5

Accessories see page 9


FLOORINGS AND LININGS


Sprinter 3,5/4,6 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. PAN 116

 Weight: **28,02 Kg**
Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 108



 Weight: **1,98 Kg**
Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 110

 Weight: **57,12 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 103

 Weight: **8,95 Kg**
12 mm wooden phenolic coated bulkhead panel.

FLOORINGS AND LININGS


Sprinter 5,0 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. PAN 116

 Weight: **28,02 Kg**
Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. PAR 108


 Weight: **1,98 Kg**
Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 111

 Weight: **54,26 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 103

 Weight: **8,95 Kg**
12 mm wooden phenolic coated bulkhead panel.


15,5 m³
L3 H3 wheelbase 4325 mm



SPRINTER PANEL VAN long
super-high roof

56

LOADING RAMP


Order no. RAM 102

Dimensions: **1150x3000 mm** (WxD)

Weight: **141,65 Kg**

Swivel loading ramp.

Load capacity: **1500 Kg**
(p.u.d.)




The swivel loading ramp can be installed also when the modules are fitted.

If the loading ramp is installed the article **MDL 126 cannot be installed** in area **5**.

It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

Technical
features,
see page 8

READY SOLUTIONS



MDL S06

Order no. MDL S06

Dimensions: **3765x365x1700 mm** (WxDxH)

Weight: **115,38 Kg**

Set of 2 modules complete with:

- 8 trays with rubber and 40 adjustable dividers
- 1 fixing bar length 4500 mm




MDL S07

Order no. MDL S07

Dimensions: **1942x365x1700 mm** (WxDxH). Weight: **113,65 Kg**

Set of 2 modules complete with:

- 8 trays with rubber and 24 adjustable dividers, 2 shelves with doors,
- 1 connection bar with fixing belts for tool cases, 2 drawers, 1 hinged door,
- 1 fixing bar length 3000 mm



MODULES 717 MM



Suitable to be installed in the zone: **5a**


Order no. MDL 119

Dimensions: **717x365x1700 mm** (WxDxH)
Weight: **38,10 Kg**

Module complete with:

- 4 trays with rubber and 8 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

MODULES 1016 MM



Suitable to be installed in the zone: **2 2a 3 5**

Order no. MDL 114

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **62,90 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2 2a 3 5**


Order no. MDL 115

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **61,80 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

*approximate measurement



Suitable to be installed in the zone: **2 2a 3 5**

Order no. MDL 116

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **46,70 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers




Suitable to be installed in the zone: **2 2a**

Order no. MDL 117


Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **46,50 Kg**

Module complete with:


- 4 trays with rubber and 12 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Layout example of LH side



Layout example of RH side



MODULES 1225 MM

MODULES 1524 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2 3 5**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**

Order no. MDL 125

Dimensions: **1524x365x1700 mm** (WxDxH)

Weight: **65,35 Kg**

Module complete with:

- 6 trays with rubber and 30 adjustable dividers



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers

Suitable to be installed in the zone: **2**

Order no. MDL 123

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **54,65 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

Suitable to be installed in the zone: **5**



Order no. MDL 126

Dimensions: **1524x365x1700 mm** (WxDxH)

Weight: **104,80 Kg**

Module complete with:

- 6 trays with rubber and 30 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



Order no. SFM 450

Fixing bar: **4500x30x35 mm** (WxDxH)

Weight: **3,78 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.



Order no. SFM 300

Fixing bar: **3000x30x35 mm** (WxDxH)



Weight: **2,60 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.

Technical features,
see page 5

Accessories
see page 9


FLOORINGS AND LININGS

Sprinter 3,5/4,6 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5

A + B Polypropylene linings

Order no. **PAN 117**

Weight: **30,89 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings

Order no. **PAR 108**

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring

Order no. **PIL 112**

Weight: **62,92 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead

Order no. **PIR 103**


Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.


FLOORINGS AND LININGS

Sprinter 5,0 t
with RH side sliding door and
rear leaf doors, sheet metal
side walls

Technical
features,
see page 5


A + B Polypropylene linings

Order no. **PAN 117**

Weight: **30,89 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings

Order no. **PAR 108**

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring

Order no. **PIL 113**

Weight: **60,14 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead


Order no. **PIR 103**

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.



15,5 m³
L3L H2 wheelbase 4325 mm



60

SPRINTER PANEL VAN extra-long
high roof

ROOF RACK



Order no. POT 111

Dimensions: **4700x1700 mm** (WxD)
Weight: **44 Kg**

Roof rack complete with:

- 6 aluminium crossmembers with fixing connectors and rubber profile
- 2 4700 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 107 Kg (p.u.d.)

Technical features,
see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 111

Dimensions: **4700x1680 mm** (WxD)
Weight: **72,70 Kg**

Ladder rack complete with:

- 6 aluminium crossmembers with fixing connectors and rubber profile
- 1 4700 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 77 Kg (p.u.d.)


LOADING RAMP

Order no. RAM 102

Dimensions: **1150x3000 mm** (WxD)
Weight: **141,65 Kg**

Swivel loading ramp.

Load capacity: 1500 Kg (p.u.d.)



The swivel loading ramp can be installed also when the modules are fitted.

If the loading ramp is fitted, the MDL modules for the areas **5b** must not be longer than 717 mm. MDL series modules for the area **3a** cannot be installed.

It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

Technical features,
see page 8

READY SOLUTIONS



Order no. MDL S08

Dimensions: **4064x365x1700 mm** (WxDxH)
Weight: **119,39 Kg**

Set of 2 modules complete with:

- 8 trays with rubber and 40 adjustable dividers
- 1 fixing bar length 5000 mm



Order no. MDL S09

Dimensions: **2749x365x1700 mm** (WxDxH). Weight: **165,73 Kg**

Set of 3 modules complete with:

- 13 trays with rubber and 35 adjustable dividers, 2 shelves with doors,
- 1 connection bar with fixing belts for tool cases, 2 drawers,
- 1 hinged door, 1 retractable shelf for tool cases complete with tool cases and boxes, 1 fixing bar length 3500 mm



MODULES 717 MM



Suitable to be installed in the zone: **3a 5a 5b**

Order no. **MDL 119**




Dimensions: **717x365x1700 mm** (WxDxH)

Weight: **38,10 Kg**

Module complete with:

- 4 trays with rubber and 8 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

*approximate measurement





MODULES 1016 MM



Suitable to be installed in the zone: **2 2a 3 5 5b**

Order no. MDL 114

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **62,90 Kg**
Module complete with:
4 trays with rubber and 12 adjustable dividers
2 drawers
1 shelf with door
1 hinged door

Suitable to be installed in the zone: **2 2a 3 5 5b**

Order no. MDL 115

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **61,80 Kg**
Module complete with:
5 trays with rubber and 15 adjustable dividers
1 drawer
1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2 2a 3 5 5b**

Order no. MDL 116

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **46,70 Kg**
Module complete with:
6 trays with rubber and 18 adjustable dividers

Suitable to be installed in the zone: **2 2a 5b**

Order no. MDL 117

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **46,50 Kg**
Module complete with:
4 trays with rubber and 12 adjustable dividers
1 shelf with door
1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5b**

Order no. MDL 118

Dimensions: **1016x365x1700 mm** (WxDxH)
Weight: **71,00 Kg**
Module complete with:
6 trays with rubber and 18 adjustable dividers
1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp


MODULES 1524 MM



Suitable to be installed in the zone: **3**


Order no. MDL 125

Dimensions: **1524x365x1700 mm** (WxDxH)
Weight: **65,35 Kg**
Module complete with:
6 trays with rubber and 30 adjustable dividers



Order no. SFM 500

Fixing bar: **5000x30x35 mm** (WxDxH)
Weight: **4,29 Kg**
Fixing bar for modules, complete with brackets, bolts and screws.
The bar is necessary to fix the modules to the vehicle.




Order no. SFM 350

Fixing bar: **3500x30x35 mm** (WxDxH)
Weight: **2,93 Kg**
Fixing bar for modules, complete with brackets, bolts and screws.
The bar is necessary to fix the modules to the vehicle.

Technical features, see page 5

Accessories see page 9


FLOORINGS AND LININGS

Sprinter 3,5/4,6 t
with RH side sliding door and
rear leaf doors,
sheet metal side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. **PAN 117**

Weight: **30,89 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. **PAR 108**

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. **PIL 112**


Weight: **62,92 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. **PIR 103**

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.


FLOORINGS AND LININGS

Sprinter 5,0 t
with RH side sliding door and
rear leaf doors,
sheet metal side walls

Technical
features,
see page 5

A + B Polypropylene linings
Order no. **PAN 117**

Weight: **30,89 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

C Polypropylene linings
Order no. **PAR 108**

Weight: **1,98 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. **PIL 113**

Weight: **60,14 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. **PIR 103**

Weight: **8,95 Kg**

12 mm wooden phenolic coated bulkhead panel.



17 m³
L3L H3 wheelbase 4325 mm



SPRINTER PANEL VAN extra-long
super-high roof

LOADING RAMP


Order no. RAM 102

Dimensions: **1150x3000 mm** (WxD)

Weight: **141,65 Kg**

Swivel loading ramp.

Load capacity: **1500 Kg**
(p.u.d.)



The swivel loading ramp can be installed also when the modules are fitted.

If the loading ramp is fitted, the MDL modules for the area **5b** must not be longer than 717 mm.

MDL series modules for the area **3a** cannot be installed.

It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

Technical
features,
see page 8

READY SOLUTIONS



MDL S08

Order no. MDL S08

Dimensions: **4064x365x1700 mm** (WxDxH)

Weight: **119,39 Kg**

Set of 2 modules complete with:

8 trays with rubber and 40 adjustable dividers

1 fixing bar length 5000 mm



MDL S09

Order no. MDL S09

Dimensions: **2749x365x1700 mm** (WxDxH). Weight: **165,73 Kg**

Set of 3 modules complete with:

13 trays with rubber and 35 adjustable dividers, 2 shelves with doors,

1 connection bar with fixing belts for tool cases, 2 drawers, 1 hinged door,

1 retractable shelf for tool cases complete with tool cases and boxes,

1 fixing bar length 3500 mm



MODULES 717 MM



Suitable to be installed in the zone: **3a 5a 5b**

Order no. MDL 119


Dimensions: **717x365x1700 mm** (WxDxH)

Weight: **38,10 Kg**



Module complete with:

- 4 trays with rubber and 8 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

*approximate measurement



925 mm*





MODULES 1016 MM



Suitable to be installed in the zone: **2 2a 3 5 5b**

Order no. MDL 114

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **62,90 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2 2a 3 5 5b**

Order no. MDL 115

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,80 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2 2a 3 5 5b**

Order no. MDL 116

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,70 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers

Suitable to be installed in the zone: **2 2a 5b**

Order no. MDL 117

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,50 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **5b**

Order no. MDL 118

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **71,00 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

MODULES 1524 MM



Suitable to be installed in the zone: **3**

Order no. MDL 125

Dimensions: **1524x365x1700 mm** (WxDxH)

Weight: **65,35 Kg**

Module complete with:

- 6 trays with rubber and 30 adjustable dividers




Order no. SFM 500

Fixing bar: **5000x30x35 mm** (WxDxH)

Weight: **4,29 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.



Order no. SFM 350

Fixing bar: **3500x30x35 mm** (WxDxH)

Weight: **2,93 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.

Technical features,
see page 5

Accessories
see page 9



FAMI S.r.l.
 Via Stazione Rossano 13
 36027 Rosà, Vicenza ITALY
 Tel. +39 0424 585455
 fax +39 0424 585482
 www.storevan.com
 info@storevan.com

YOUR STOREVAN PARTNER



**PROFESSIONALITY
 IN MOVEMENT**