


Fittings for commercial vehicles

Renault



PROFESSIONALITY IN MOVEMENT

TERMS OF SUPPLY

- Floorings and linings supplied in several parts.
- Floorings, linings, roof racks and ladder racks are supplied **unassembled**.
- Modules are supplied **pre-assembled** complete with fixing material to the vehicle.
- For **product installation** we suggest to contact the expert assistance of our network of **authorised installation centers** (see back cover).
- The products are supplied including **packing**.
- Our products are covered by a **3-years warranty**.
- **Load capacity** data refer to **uniformly distributed loads** (p.u.d.)

CERTIFIED PRODUCTION

Successfully certified, Quality Assurance Certification since over ten years.



CRASH TEST STORE VAN




Passed the **CRASH TEST** carried out according to the recent European regulations. **ECE-R17** with impact at **50 Km/h**.

TESTED AND CERTIFIED SAFETY



STORE VAN has obtained the prestigious **GS** certification for its loading ramps and interior fittings.



STORE VAN also boasts the rare **GS** certification for the universal ladder rack.

Store Van

A TRADEMARK OF FAMI'S GROUP

Fami's constant focus on the market trends, combined with studies for customized products, has been the winning strategy also for the last born brand name – STORE VAN - which offers fittings for commercial vehicles of all types. The accurate designed modules and the perfect adaptability for the most different personalised projects, confirmed the quality and supremacy of Store Van's components.

The achieved success allowed Store Van to become one of the most reliable and popular supplier among the international commercial vehicles producers.



PROFESSIONALITÀ IN MOVIMENTO

Store Van first introduced an innovative installation system without drilling the van bodyworks to fix the equipments, guaranteeing functionality, quality, steadiness and aesthetic features, both for estate cars and for large vans and fleets.

LOGISTIC QUALITY SYSTEMS

Fami's strategy develops through products versatility, while each project becomes exclusive and customised. This strategy, along with advanced industrial processes, originates fitting systems suitable to meet all customers' requirements.


Fami, one of the leading Company in the field of industrial storage systems, gives priority to the technological features but also considers the design and the "soul" of the product, signing each article with a perfect balance of technology and "heart".



Fami stands out for its high technology and original solutions, like industrial storage, work stations and conductive systems for the electronic industry. All Company's advanced solutions can be employed and diversified in different applications, becoming Fami the leading Company in its field as far competence and competitiveness.



	MODEL	VEHICLE DATA	PAGE
	Kangoo Van Express Compact	2,3 m³ L0 H1 wheelbase 2313 mm height 1808 mm	17-18
	Kangoo Van Express	3 m³ L1 H1 wheelbase 2697 mm height 1805 mm	19-26
	Trafic Panel Van Short wheelbase Low roof	5 m³ L1 H1 wheelbase 3098 mm height 1959-1965 mm	31-34
	Trafic Panel Van Short wheelbase High roof	7,09 m³ L1 H2 wheelbase 3098 mm height 2492 mm	35-38
	Trafic Panel Van Long wheelbase Low roof	5,9 m³ L2 H1 wheelbase 3498 mm height 1958 mm	39-42
	Trafic Panel Van Long wheelbase High roof	8,36 m³ L2 H2 wheelbase 3498 mm height 2492 mm	43-46
	Master Panel Van SL Short wheelbase Low roof	8 m³ L1 H1 wheelbase 3078 mm height 2253 mm	51-54
	Master Panel Van SM Short wheelbase Medium roof	9,1 m³ L1 H2 wheelbase 3078 mm height 2496 mm	55-58
	Master Panel Van MM Medium wheelbase Medium roof	10,8 m³ L2 H2 wheelbase 3578 mm height 2493 mm	59-62
	Master Panel Van MH Medium wheelbase High roof	12 m³ L2 H3 wheelbase 3578 mm height 2721 mm	63-66
	Master Panel Van LM Long wheelbase Medium roof	12,6 m³ L3 H2 wheelbase 4078 mm height 2490 mm	67-70
	Master Panel Van LH Long wheelbase High roof	13,9 m³ L3 H3 wheelbase 4078 mm height 2720 mm	71-74



LININGS

4 mm thick polypropylene honeycomb linings with scratchproof surface. Lightweight and robust.



FLOORINGS

Pre-shaped loading floors in one or more jointed pieces with extruded aluminium inserts. Made of 12 mm thick birch and conifer phenolic multi-ply, resin-bonded on both faces and a wear-resistant and slip-proof surface treatment.



DRAWERS

Easy and intuitive one hand opening with handle operated opening and closing safety stop. Wide range of dividing options of the drawers by means of plastic or metal accessories.

Load capacity: 50 Kg



RETRACTABLE SHELVES

Retractable shelves for one or two tool cases with the possibility of introducing tool cases with different heights and depths.

Load capacity: 50 Kg



VICE WORKBENCHES

Retractable vice workbench complete with steel vice, swivel base, jaws width 100 mm.

Technical features

TALENTO ladder rack rails
with **lowering system** with brake for
ladders weight up to 60 kg.



ALADIN ladder rack rails
with **servo-assisted lowering and lifting system** for ladders weight up to 60 kg.



LOADING RAMPS



Servo assisted loading ramps with tubular steel structure and knurled slip-proof aluminium platform. Connection to the vehicle by means of a telescopic column and self-positioning feet.

Load capacity from: 600 to 1500 Kg.



292 mm DEEP TOOL CASES

**Order no. VAL 001****Case with boxes**

Dim. 438x292x67 mm (WxDxH)
Internal solutions with:
2 green, 2 blue, 5 yellow,
10 red boxes.

**Order no. VAL 002****Case with boxes**

Dim. 438x292x67 mm (WxDxH)
Internal solutions with: 8 blue,
8 red boxes.

**Order no. VAL 003****Case with boxes**

Dim. 438x292x102 mm (WxDxH)
Internal solutions with: 2 blue,
2 green, 5 yellow, 10 red boxes.
Upper tray with 20 red and 10
yellow boxes.

**Order no. VAL 004****Case with boxes**

Dim. 438x292x102 mm (WxDxH)
Internal solutions with:
4 green, 4 blue boxes.
Upper tray with 20 red and
10 yellow boxes.

343 mm DEEP TOOL CASES

**Order no. VAL 005****Case with boxes**

Dim. 438x343x67 mm (WxDxH)
Internal solutions with:
2 green, 3 blue, 6 yellow,
12 red boxes.

**Order no. VAL 006****Case with boxes**

Dim. 438x343x67 mm (WxDxH)
Internal solutions with:
8 green boxes.

**Order no. VAL 007****Case with boxes**

Dim. 438x343x102 mm (WxDxH)
Internal solutions with:
2 green, 3 blue, 6 yellow, 12 red
boxes.
Upper tray with 24 red and 12
yellow boxes.

**Order no. VAL 008****Case with boxes**

Dim. 438x343x102 mm (WxDxH)
Internal solutions with:
12 blue boxes.
Upper tray with 24 red and 12
yellow boxes.

ACCESSORIES FOR MODULES



Order no. ACS 001
Hand washing kit



Order no. ACS 002
Can holder kit with 20
litres capacity metal can



Order no. ACS 003
Supports with belt
strap for gas cylinders
and extinguishers



Order no. ACS 004
First aid kit



Order no. ACS 005
Paper towel holder kit
with paper towel
Ø 140 mm



Order no. ACS 006
DIN A4 document
holder



Order no. ACS 007
Spray-can holder kit



Order no. ACS 008
Painted aluminium
cable saddles

LOAD RETAINING BARS AND BELTS



Load retaining bar kit available in 3 dimensions:

Order no. ACS 009

Load retaining bar length 1000 mm
Pair of polyester belts length 3260 mm

Order no. ACS 010

Load retaining bar length 1500 mm
Pair of polyester belts length 3260 mm

Order no. ACS 011

Load retaining bar length 2000 mm
Pair of polyester belts length 3260 mm

CRANES



Revolving crane with positioning brake and folding arm. Including 12 V motor and lifting hook sliding on an aluminium guide and electric limit switch, equipped with remote control with cable.

Load capacity from: 150 to 190 Kg.

OPTIONAL ACCESSORY NOT AVAILABLE FOR ALL VEHICLES MODELS

COMPRESSORS AND RETRACTABLE HORIZONTAL SYSTEMS



Retractable horizontal aluminium frames. Mechanical stop of the frame in opening and closing.

Possibility of blocking the shelf in any opening position.

Load capacity: 300 Kg.

Extraction: 60 %

Vertical compressors 220V - 380V.

Capacity: 50 - 100 LT



COLLAPSIBLE VICE WORKBENCHES



Collapsible vice workbenches with floor support.

Work bench height adjustable.

Top width: 240 / 340 mm

Depth: 1150 mm



LIFTING DOORS



Lifting doors with assisted opening.

Length: 508 / 717 / 1016 / 1225 / 1524 mm

Useful height: 350 / 400 mm



SHELVES



Shelves available for modules:

Length: 508 / 717 / 1016 / 1225 / 1524 mm

Depth: 265 / 365 mm

Front height: 35 mm

Back height: 100 mm

Available with or without polypropylene containers

Strategically strong



Kangoo L1 H1 - 3 m³

Vehicle equipped with:

1	art. POT 202	roof rack
1	art. PIL 203	wooden flooring
1	art. PAN 202	polypropylene linings
1	art. MDL 003	module
1	art. MDL 007	module
1	art. ACS 004	first aid kit
2	art. ACS 007	spray cans holder kit
1	art. ACS 003	support with belt for gas cylinders and extinguishers (extinguisher not supplied)

- › **FAST ASSEMBLY**
- › **TOTAL MODULARITY**
- › **SAFETY SOUND ABSORBING ELEMENTS BETWEEN THE VARIOUS METAL COMPONENTS**
- › **ERGONOMETRIC SHAPES**
- › **HEIGHT ADJUSTMENT IN PITCH OF 25 mm OF THE VARIOUS ELEMENTS**



KANGOO








FLOORINGS AND LININGS

for KANGOO COMPACT without side doors, rear leaf doors



Technical features, see page 5



A + B Polypropylene linings

Order no. PAN 201

Weight: 4,29 Kg

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors




C Polypropylene linings

Order no. PAR 201

Weight: 0,92 Kg

Polypropylene linings for:

- upper section of rear leaf doors



D Flooring for sheet steel bulkhead (1)

Order no. PIL 201

Weight: 12,24 Kg

12 mm thick wooden flooring phenolic

coated and predrilling for lashing hook supports

D Flooring for closing mesh bulkhead (2)

Order no. PIL 202

Weight: 11,68 Kg

12 mm thick wooden flooring phenolic

coated and predrilling for lashing hook supports

ROOF RACK



ROOF RACK only for Compact with rear leaf doors

Order no. POT 201

Dimensions: 1800x1400 mm (WxD)

Weight: 20,03 Kg

Roof rack complete with:

- 2 aluminium crossmembers with fixing connectors and rubber profile
- 1 additional crossmember
- 2 1800 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with stainless steel screws for fixing.

Load capacity: 69 Kg (p.u.d.)

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



LADDER RACK only for Kangoo Compact with rear leaf doors

Technical features, see page 7

Order no. POS 201

Dimensions: 2110x1380 mm (WxD)

Weight: 42,04 Kg

Ladder rack complete with:

- 2 aluminium crossmembers with fixing connectors and rubber profile
- 1 additional crossmember
- 1 1800 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium TALENTO series, length 2110 mm

Supplied with stainless steel screws for fixing.


Load capacity: 47 Kg (p.u.d.)

2,3 m³
L0 H1 wheelbase 2313 mm



Technical features, see page 5
Accessories see page 9

*approximate measurement



Layout example of LH side



Layout example of RH side



Suitable to be installed in the zone: **3 5**

Order no. MDL 005

Dimensions : **717x365x900 mm** (WxDxH)

Weight: **32,9 Kg**

Module complete with:

- 1 tray with rubber and 2 adjustable dividers
- 2 drawers
- 1 shelf with door



Suitable to be installed in the zone: **3 5**

Order no. MDL 006

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **22,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers



Suitable to be installed in the zone: **5**

Order no. MDL 007


Dimensions: **717x365x900 mm** (WxDxH)

Weight: **42,7 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp





FLOORINGS AND LININGS

four KANGOO with RH side sliding door and rear leaf doors

Technical features, see page 5



A + B Polypropylene linings

Order no. PAN 202

Weight: 5,78 Kg

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors





C Polypropylene linings

Order no. PAR 201

Weight: 0,92 Kg

Polypropylene linings for:

- upper section of rear leaf doors



D Flooring for sheet steel bulkhead (1)

Order no. PIL 203

Weight: 16,70 Kg

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports

D Flooring for closing mesh bulkhead (2)

Order no. PIL 204

Weight: 15,60 Kg

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports

ROOF RACK



ROOF RACK only for Kangoo with rear leaf doors

Order no. POT 202

Dimensions: 2000x1400 mm (WxD)

Weight: 20,94 Kg

Roof rack complete with:

- 2 aluminium crossmembers with fixing connectors and rubber profile
- 1 additional crossmember
- 2 2000 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with stainless steel screws for fixing.

Load capacity: 68 Kg (p.u.d.)

Technical features, see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



LADDER RACK only for Kangoo with rear leaf doors

Order no. POS 202

Dimensions: 2110x1380 mm (WxD)

Weight: 42,49 Kg

Ladder rack complete with:


- 2 aluminium crossmembers with fixing connectors and rubber profile
- 1 additional crossmember
- 1 2000 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium TALENTO series, length 2110 mm

Supplied with stainless steel screws for fixing.

Load capacity: 47 Kg (p.u.d.)




Technical features, see page 5
Accessories see page 9



Layout example of LH side

Layout example of RH side

*approximate measurement



590 mm*

Suitable to be installed in the zone: **3**

Art. MDL 001

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **61 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **3**

Art. MDL 002

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **43,8 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **3**

Art. MDL 003

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **52,2 Kg**

Module complete with:

- 2 trays with rubber and 4 adjustable dividers
- 1 drawer
- 3 retractable shelves for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **3**

Art. MDL 004

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **28,8 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers



Suitable to be installed in the zone: **3 5**

Order no. MDL 005

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **32,9 Kg**

Module complete with:

- 1 tray with rubber and 2 adjustable dividers
- 2 drawers
- 1 shelf with door



Suitable to be installed in the zone: **3 5**

Order no. MDL 006

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **22,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers



Suitable to be installed in the zone: **5**

Order no. MDL 007

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **42,7 Kg**


Module complete with:

- 3 trays with rubber and 6 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



HORIZONTAL RETRACTABLE SYSTEMS DOUBLE LEVEL FLOOR WITH TRAPDOORS





The raised level with trapdoor allows for maximising vehicle load volume by approx. 95% (1,2,3)



The space in the rear cab can be organised using a module with 2 trays (4) or with a drawer in front of the side sliding door (5,6)




An extractable horizontal system (7) complete with a module can be installed in the upper part of the level. This system still allows for use of the trapdoor adjacent to the sliding door (8)



Detail of two full telescopic extension drawers complete of partitioning material (tools excluded).
Load capacity of each drawer:
150 Kg

*Useful interior dimensions





1a Double level floor kit for sheet steel bulkhead (A)
Order no. MPR 201

Dimensions: **1543x1369x328 mm** (WxDxH)

Weight: **108,80 Kg**

Kit complete with:

- 1 12 mm thick **lower** wooden flooring phenolic coated **for sheet steel bulkhead**
- 1 12 mm thick **upper** wooden flooring phenolic coated
- 1 drawer cabinet with 2 drawers (load capacity 150 Kg each) complete of partitioning material, internal dimensions of the drawers 1076x600x54/104 mm h



2 Front frame for trapdoors

Order no. MPR 999

Dimensions: **1193x30x300 mm** (WxDxH)

Weight: **4,08 Kg**

Support for trapdoors in square tube 30x30 mm.



3 Front frame kit for trapdoors with drawer cabinet

Order no. MPR 998

Dimensions: **1193x564x300 mm** (WxDxH)

Weight: **26,85 Kg**

Kit complete with:

- 1 support for trapdoors in square tube 30x30 mm.
- 1 drawer cabinet with 2 drawers (load capacity 70 Kg each), internal dimensions of the drawer 447x447x86 mm h



4 Trapdoor kit for vehicle with RH side door

Order no. MPR 203

Dimensions: **752x1414x12 mm** (WxDxH)

Weight: **11,40 Kg**

Kit complete with:

- 2 wooden trapdoors thickness 12 mm with phenolic coating and 6 hinges

Double level floor load capacity + trapdoor kit: **500 Kg (p.u.d.)**



5 Horizontal retractable system

Order no. PEO 202

Horizontal retractable system with module

Dimensions: **1225x365x740 mm** (WxDxH)

Weight: **39,00 Kg**

System complete with:

- 1 horizontal frame, extraction 60% load capacity 160 Kg
- 1 module with 3 trays with rubber and 12 adjustable partitions

THE HORIZONTAL RETRACTABLE SYSTEM

can only be mounted together with:

double level floor kit (1a) + frame kit (2/3) + trapdoor kit (4).



Detail of extracted module

**LAYOUT EXAMPLE No. 1**

Complete with:

- 1 order no. **MPR 201 (1a)**
- 1 order no. **MPR 999 (2)**
- 1 order no. **MPR 203 (4)**

**LAYOUT EXAMPLE No. 2**


Complete with:

- 1 order no. **MPR 201 (1a)**
- 1 order no. **MPR 998 (3)**
- 1 order no. **MPR 203 (4)**

**LAYOUT EXAMPLE No. 3**

Complete with:

- 1 order no. **MPR 201 (1a)**
- 1 order no. **MPR 999 (2)**
- 1 order no. **MPR 203 (4)**
- 1 order no. **PEO 202 (5)**


**1a Double level floor kit for sheet steel bulkhead (A)****Order no. MPR 201**Dimensions: **1543x1369x328 mm** (WxDxH)Weight: **108,80 Kg**

Kit complete with:

- 1 12 mm thick **lower** wooden flooring phenolic coated **for sheet steel bulkhead**
- 1 12 mm thick **upper** wooden flooring phenolic coated
- 1 drawer cabinet with 2 drawers (load capacity 150 Kg each) complete of partitioning material, internal dimensions of the drawer 1076x600x54/104 mm h


8 Kit load retaining belt
Order no. MPR 997Dimensions: **4500x25 mm** (WxD)Weight: **0,68 Kg**

Kit load retaining belt for double level floor without trapdoors.

**1b Double level floor kit for closing mesh bulkhead (B)****Order no. MPR 202**Dimensions: **1498x1369x328 mm** (WxDxH)Weight: **107,70 Kg**

Kit complete with:

- 1 12 mm thick **lower** wooden flooring phenolic coated **for closing mesh bulkhead**
- 1 12 mm thick **upper** wooden flooring phenolic coated
- 1 drawer cabinet with 2 drawers (load capacity 150 Kg each) complete of partitioning material, internal dimensions of the drawer 1076x600x54/104 mm h

This kit is not equipped for trapdoor mounting or a horizontal removable system**6 Module**
Order no. MDL 059Dimensions: **508x365x700 mm** (WxDxH)Weight: **13,35 Kg**

Module complete with:

- 2 trays with rubber and 2 adjustable dividers
- 1 connection bar with fixing belts for tool cases

**7 Module**
Order no. MDL 060Dimensions: **508x365x650 mm** (WxDxH)Weight: **13,60 Kg**

Module complete with:

- 2 trays with rubber and 2 adjustable dividers
- 1 hinged door



VERTICAL RETRACTABLE SYSTEMS



Vertical retractable system

Order no. PEV 201

Vertical retractable system with module

Dimensions: **1234x355x1110 mm** (WxDxH)

Weight: **57,50 Kg**

Panel complete with:

- 1 vertical frame, extraction 50% load capacity 100 Kg, extraction 70% load capacity 75 Kg
- 1 module with 4 trays with rubber and 16 adjustable dividers

THE VERTICAL RETRACTABLE SYSTEM can only be mounted together with the wooden flooring order no. PIL 203 or the wooden flooring order no. PIL 204.



The vertical retractable system makes it easier to take out the stored material



Module

Order no. MDL 007

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **42,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

3 m³
L1 H1 wheelbase 2697 mm



KANGOO VAN EXPRESS

HORIZONTAL RETRACTABLE SYSTEMS



980 mm

Horizontal retractable system for sheet steel bulkhead

Order no. PEO 201

Dimensions: **1080x1524x80 mm** (WxDxH)

Weight: **69,30 Kg**

System complete with:

- 1 phenolic coated wooden flooring with holes for fixing the extractable frame
- 1 horizontal extractable frame extension 60% load capacity 300 Kg complete with a shelf in phenolic wooden top and rubber protection
- 8 lashing hooks supports for load retaining belt
- 2 load retaining belts



The horizontal retractable system makes it easier to anchor the material transported and makes loading, unloading operations simpler

Strategically strong



Trafic L2 H1 - 5,9 m³

Vehicle equipped with:

- 1 ord. no. POS 205 ladder rack (ladder not supplied)
- 1 ord. no. PIL 207 wooden flooring
- 1 ord. no. PAN 204 polypropylene lining
- 1 ord. no. PAR 202 polypropylene lining
- 1 ord. no. MDL 008 module
- 1 ord. no. MDL 010 module
- 1 ord. no. MDL 012 module
- 1 ord. no. MDL 038 module
- 1 ord. no. SFM 300 fixing bar
- 1 ord. no. ACS 004 first aid kit
- 2 ord. no. ACS 007 spray cans holder kit
- 1 ord. no. ACS 005 paper roll holder with paper roll
- 1 ord. no. ACS 003 support with belt for gas cylinders and extinguishers (extinguisher not supplied)




- › **FAST ASSEMBLY**
- › **TOTAL MODULARITY**
- › **SAFETY SOUND ABSORBING ELEMENTS BETWEEN THE VARIOUS METAL COMPONENTS**
- › **ERGONOMETRIC SHAPES**
- › **HEIGHT ADJUSTMENT IN PITCH OF 25 mm OF THE VARIOUS ELEMENTS**



TRAFFIC






FLOORINGS AND LININGS
for TRAFIC with RH side sliding door and rear leaf doors, sheet metal side walls

A Polypropylene linings
Order no. PAN 203

 Weight: **7,67 Kg**
Polypropylene linings for:

- LH side wall
- RH side wall and sliding door



Technical features,
see page 5
C Polypropylene linings
Order no. PAR 202

 Weight: **1,33 Kg**
Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 205

 Weight: **29,35 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.
F Bulkhead
Order no. PIR 201

 Weight: **10,60 Kg**
12 mm wooden phenolic coated bulkhead panel.
FLOORINGS AND LININGS
for TRAFIC with RH side sliding door and lower lift door, sheet metal side walls

A Polypropylene linings
Order no. PAN 203

 Weight: **7,67 Kg**
Polypropylene linings for:

- LH side wall
- RH side wall and sliding door

Technical features,
see page 5
C Polypropylene linings
Order no. PAR 203

 Weight: **1,42 Kg**
Polypropylene linings for:


- upper part of sheet metal lift door

D Flooring
Order no. PIL 206

 Weight: **29,35 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.
F Bulkhead
Order no. PIR 201

 Weight: **10,60 Kg**
12 mm wooden phenolic coated bulkhead panel.

5 m³
L1 H1 wheelbase 3098 mm



TRAFIC Panel Van
Short wheelbase low roof

ROOF RACK only for TRAFIC with rear leaf doors



Order no. POT 203

Dimensions: **2750x1700 mm** (WxD)
Weight: **30,42 Kg**

Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 2750 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 169 Kg (p.u.d.)



LADDER RACK only for TRAFIC with rear leaf doors



The ladder rack rail can be mounted on the right or on the left hand side of the vehicle

Order no. POS 203

Dimensions: **2750x1680 mm** (WxD)
Weight: **54,83 Kg**

Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 1 2750 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **TALENTO** series, length 2650 mm
- 1 aluminium connection crossmember

Supplied with **stainless steel** screws for fixing.

Load capacity: 145 Kg (p.u.d.)



Technical
features,
see page 7

READY SOLUTIONS



Order no. MDL S01

Dimensions: **1733x365x1200 mm** (WxDxH). Weight: **43,25 Kg**

Module complete with:

- 3 trays with rubber and 15 adjustable dividers
- 1 fixing bar length 2500 mm




Order no. MDL 008

Dimensions: **1016x365x900 mm** (WxDxH). Weight: **41,7 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



MODULES 717 mm



Suitable to be installed in the zone: **5**

Order no. MDL 007

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **42,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

MODULES 1016 mm



Suitable to be installed in the zone: **3 5**

Order no. MDL 008

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **41,7 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **3 5**

Order no. MDL 009

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,4 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers



Suitable to be installed in the zone: **2**

Order no. MDL 011

Dimensions: **717x365x900 mm** (WxDxH)


Weight: **20 Kg**

Module complete with:

- 1 tray with rubber and 2 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

Technical features, see page 5
Accessories see page 9

*approximate measurement



Suitable to be installed in the zone: **3 5**


Order no. MDL 010

Dimensions: **1016x365x900 mm** (WxDxH)


Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes




Layout example of LH side



Layout example of RH side

5 m³
L1 H1 wheelbase 3098 mm



TRAFIC Panel Van
Short wheelbase low roof

ADD-ON MODULE 1733 MM



Suitable to be installed in the zone: **2** + **3**

Order no. MDL 037

Dimensions: **1733x265x300 mm** (WxDxH)

Weight: **10,80 Kg**

Module complete with:

- 1 tray with rubber and 5 adjustable dividers

Order no. SFM 250



Fixing bar: **2500x30x35 mm** (WxDxH)

Weight: **2,2 Kg**

Fixing bar for upper modules, complete with brackets, bolts and screws.

The bar is necessary to fix the additional MDL 037 module to the vehicle.




FLOORINGS AND LININGS
 for TRAFIC with RH side sliding
 door and rear leaf doors, sheet
 metal side walls

A Polypropylene linings
Order no. PAN 203

 Weight: **7,67 Kg**
Polypropylene linings for:

- LH side wall
- RH side wall and sliding door

 Technical
 features,
 see page 5

C Polypropylene linings
Order no. PAR 204

 Weight: **2,45 Kg**
Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 205

 Weight: **29,35 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 201

 Weight: **10,60 Kg**
12 mm wooden phenolic coated bulkhead panel.
ROOF RACK

Order no. POT 204

 Dimensions: **2500x1600 mm** (WxD)

 Weight: **28,74 Kg**
Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 2500 mm long aluminium side upstands
- 1 aluminium loading roller

 Supplied with **stainless steel** screws for fixing.

Load capacity: 171 Kg (p.u.d.)

 Technical
 features,
 see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle


Order no. POS 204

 Dimensions: **2650x1580 mm** (WxD)

 Weight: **57,94 Kg**
Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 1 2500 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 2650 mm

 Supplied with **stainless steel** screws for fixing.

Load capacity: 142 Kg (p.u.d.)

7,09 m³
L1 H2 wheelbase 3098 mm



TRAFIC Panel Van
Short wheelbase high roof

READY SOLUTIONS



MDL 029

Order no. MDL 029

Dimensions: **1733x365x1200 mm** (WxDxH). Weight: **42,05 Kg**
Module complete with:
3 trays with rubber and 15 adjustable dividers



MDL 014

Order no. MDL 014

Dimensions: **1016x365x1200 mm** (WxDxH). Weight: **49,4 Kg**
Module complete with:
2 trays with rubber and 6 adjustable dividers
2 drawers
1 shelf with door
1 hinged door





MODULES 717 mm



Suitable to be installed in the zone: **5**

Order no. MDL 007

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **42,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



Suitable to be installed in the zone: **2**

Order no. MDL 119

Dimensions: **717x365x1700 mm** (WxDxH)

Weight: **38,10 Kg**

Module complete with:

- 4 trays with rubber and 8 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

MODULES 1016 mm



Suitable to be installed in the zone: **3 5**

Order no. MDL 014

Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **49,4 Kg**

Module complete with:

- 2 trays with rubber and 6 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **3 5**

Order no. MDL 015


Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **48,3 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

*approximate measurement



Technical features, see page 5

Accessories see page 9



Suitable to be installed in the zone: **3 5**

Order no. MDL 016

Dimensions: **1016x365x1200 mm** (WxDxH)

Weight: **33,2 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers



Layout example of LH side



Layout example of RH side

7,09 m³
L1 H2 wheelbase 3098 mm



TRAFIC Panel Van
Short wheelbase high roof

MODULES 1016 mm



Suitable to be installed in the zone: **3 5**

Order no. MDL 161

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,38 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **3 5**

Order no. MDL 162

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **58,07 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**


Order no. MDL 163

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **40,20 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers



x1



x2

x1


Order no. SFM 250



Fixing bar: **2500x30x35 mm** (WxDxH)

Weight: **2,2 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.





FLOORINGS AND LININGS
for TRAFIC with RH side sliding
door and rear leaf doors, sheet
metal side walls

Technical
features,
see page 5

A Polypropylene linings
Order no. PAN 204

Weight: **9,61 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door

C Polypropylene linings
Order no. PAR 202

Weight: **1,33 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 207

Weight: **34,85 Kg**



12 mm thick wooden flooring phenolic

coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 201

Weight: **10,60 Kg**

12 mm wooden phenolic coated
bulkhead panel.



FLOORINGS AND LININGS
for TRAFIC with RH side sliding door
and lower lift door, sheet metal side
walls

Technical
features,
see page 5

A Polypropylene linings
Order no. PAN 204

Weight: **9,61 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door

C Polypropylene linings
Order no. PAR 203

Weight: **1,42 Kg**

Polypropylene linings for:

- upper part of sheet metal lift door

D Flooring
Order no. PIL 208

Weight: **34,85 Kg**


12 mm thick wooden flooring phenolic

coated and predrilling for lashing hook supports.


F Bulkhead
Order no. PIR 201

Weight: **10,60 Kg**

12 mm wooden phenolic coated
bulkhead panel.




5,9 m³
L2 H1 wheelbase 3498 mm



TRAFIC Panel Van
Long wheelbase low roof

ROOF RACK only for TRAFIC with rear leaf doors



Order no. POT 205

Dimensions: **3000x1700 mm** (WxD)
Weight: **32,26 Kg**

Roof rack complete with:
4 aluminium crossmembers with fixing connectors and rubber profile
2 3000 mm long aluminium side upstands
1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 168 Kg (p.u.d.)

Technical
features,
see page 7

LADDER RACK only for TRAFIC with rear leaf doors



The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 205

Dimensions: **3240x1680 mm** (WxD)
Weight: **58,35 Kg**

Ladder rack complete with:
4 aluminium crossmembers with fixing connectors and rubber profile
2 3000 mm long aluminium side upstand
1 aluminium loading roller
1 ladder rack rail made from stainless steel and aluminium **TALENTO** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 141 Kg (p.u.d.)

READY SOLUTIONS



Order no. MDL S02

Dimensions: **2032x365x1200 mm** (WxDxH). Weight: **46,35 Kg**

Module complete with:

- 3 trays with rubber and 15 adjustable dividers
- 1 fixing bar length 3000 mm




Order no. MDL 008

Dimensions: **1016x365x900 mm** (WxDxH). Weight: **41,7 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 1 shelf with door
- 1 hinged door



MODULES 717 MM



Suitable to be installed in the zone: **5**

Order no. MDL 007

Dimensions: **717x365x900 mm** (WxDxH)

Weight: **42,7 Kg**

Module complete with:

- 3 trays with rubber and 6 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

MODULES 1016 MM



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 008

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **41,7 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 009


Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,4 Kg**

Module complete with:

- 3 trays with rubber and 9 adjustable dividers

*approximate measurement



Suitable to be installed in the zone: **2 3 5**

Order no. MDL 010

Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **60,1 Kg**

Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 3 drawers
- 3 retractable shelves for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2**

Order no. MDL 012


Dimensions: **1016x365x900 mm** (WxDxH)

Weight: **25,2 Kg**


Module complete with:

- 1 tray with rubber and 3 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

Technical features, see page 5
Accessories see page 9




Layout example of LH side



Layout example of RH side

5,9 m³
L2 H1 wheelbase 3498 mm



TRAFIC Panel Van
Long wheelbase low roof

ADD-ON MODULE 2032 MM



Suitable to be installed in the zone: **2** + **3**

Order no. MDL 038

Dimensions: **2032x265x300 mm** (WxDxH)

Weight: **11,20 Kg**

Module complete with:

1 tray with rubber and 5 adjustable dividers



x1



x2

x1

Order no. SFM 300


Fixing bar: **3000x30x35 mm** (WxDxH)

Weight: **2,60 Kg**


Fixing bar for upper modules, complete with brackets, bolts and screws.

The bar is necessary to fix the additional MDL 038 module to the vehicle.





FLOORINGS AND LININGS
 for TRAFIC with RH side sliding door and rear leaf doors, sheet metal side walls



A Polypropylene linings
Order no. PAN 204

Weight: **9,61 Kg**
Polypropylene linings for:
 - LH side wall
 - RH side wall and sliding door

C Polypropylene linings
Order no. PAR 204

Weight: **2,45 Kg**
Polypropylene linings for:
 - upper section of rear leaf doors


Technical features,
 see page 5

D Flooring
Order no. PIL 207

Weight: **34,85 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 201

Weight: **10,60 Kg**
12 mm wooden phenolic coated bulkhead panel.



ROOF RACK



Order no. POT 206

Dimensions: **2750x1600 mm** (WxD)
 Weight: **29,58 Kg**

Roof rack complete with:
 4 aluminium crossmembers with fixing connectors and rubber profile
 2 2750 mm long aluminium side upstands
 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 170 Kg (p.u.d.)

Technical features,
 see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 206

Dimensions: **2750x1580 mm** (WxD)
 Weight: **58,36 Kg**

Ladder rack complete with:
 4 aluminium crossmembers with fixing connectors and rubber profile
 1 2750 mm long aluminium side upstand
 1 aluminium loading roller
 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 2650 mm
 1 aluminium connection crossmember

Supplied with **stainless steel** screws for fixing.

Load capacity: 141 Kg (p.u.d.)

8,36 m³
L2 H2 wheelbase 3498 mm



TRAFIC Panel Van
Long wheelbase high roof

READY SOLUTIONS



Order no. MDL 030

Dimensions: **2032x365x1200 mm** (WxDxH). Weight: **45,15 Kg**

Module complete with:

- 3 trays with rubber and 15 adjustable dividers




Order no. MDL 014

Dimensions: **1016x365x1200 mm** (WxDxH). Weight: **49,4 Kg**

Module complete with:

- 2 trays with rubber and 6 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door





MODULES 1016 MM



Suitable to be installed in the zone: **3 5**

Order no. MDL 161

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,38 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **3 5**

Order no. MDL 162

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **58,07 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**

Order no. MDL 163



Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **40,20 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers

*approximate measurement



Layout example of LH side



Layout example of RH side



MODULES 1016 MM



Suitable to be installed in the zone: **5**

Order no. MDL 164

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **64,40 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1½" pipe clamp



Suitable to be installed in the zone: **2**

Order no. MDL 114

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **62,90 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2**

Order no. MDL 115

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,80 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2**

Order no. MDL 116

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,70 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers



Suitable to be installed in the zone: **2**


Order no. MDL 117

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,50 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



x1



x2


Order no. SFM 300

Fixing bar: **3000x30x35 mm** (WxDxH)

Weight: **2,60 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.



x1



x2

Order no. SFM 150

Fixing bar: **1500x30x35 mm** (WxDxH)

Weight: **1,55 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.

Strategically strong



Master L2 H2 - 10,8 m³

Vehicle equipped with:

1	ord. no. POS 209	ladder rack (ladder not supplied)
1	ord. no. PIL 210	wooden flooring
1	ord. no. PAN 207	polypropylene linings
1	ord. no. MDL 161	module
1	ord. no. MDL 121	module
2	ord. no. MDL 147	module
1	ord. no. MDL 164	module
1	ord. no. SFM 300	fixing bar
1	ord. no. SFM 200	fixing bar
1	ord. no. ACS 004	first aid kit
2	ord. no. ACS 007	spray cans holder
1	ord. no. ACS 005	paper roll holder with paper roll
1	ord. no. ACS 003	support with belt for gas cylinders and extinguishers (extinguisher not supplied)

- › **FAST ASSEMBLY**
- › **TOTAL MODULARITY**
- › **SAFETY SOUND ABSORBING ELEMENTS BETWEEN THE VARIOUS METAL COMPONENTS**
- › **ERGONOMETRIC SHAPES**
- › **HEIGHT ADJUSTMENT IN PITCH OF 25 mm OF THE VARIOUS ELEMENTS**





MASTER






FLOORINGS AND LININGS

for MASTER with RH side sliding door and rear leaf doors, sheet metal side walls


A + B Polypropylene linings
Order no. PAN 205

 Weight: **13,55 Kg**
Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

 Technical features,
 see page 5

C Polypropylene linings
Order no. PAR 205

 Weight: **2,40 Kg**
Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 209

 Weight: **36,45 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Art. PIR 202
 Weight: **12,55 Kg**
12 mm wooden phenolic coated bulkhead panel.
ROOF RACK

Order no. POT 207

 Dimensions: **2500x1700 mm (WxD)**

 Weight: **29,60 Kg**
Roof rack complete with:

- 3 aluminium crossmembers with fixing connectors and rubber profile
- 1 additional crossmember with supports
- 2 2500 mm long aluminium side upstands
- 1 aluminium loading roller

 Supplied with **stainless steel** screws for fixing.

Load capacity: 120 Kg (p.u.d.)

 Technical features,
 see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle


Order no. POS 207

 Dimensions: **2650x1680 mm (WxD)**

 Weight: **54,90 Kg**
Ladder rack complete with:

- 3 aluminium crossmembers with fixing connectors and rubber profile
- 1 2500 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **TALENTO** series, length 2650 mm

 Supplied with **stainless steel** screws for fixing.

Load capacity: 95 Kg (p.u.d.)

8 m³
L1 H1 wheelbase 3078 mm



MASTER Panel Van SL
short wheelbase, low roof

LOADING RAMP

Order no. RAM 201


Dimensions: **1250x2500 mm** (WxD)
Weight: **118,85 Kg**

Swivel loading ramp.

Load capacity: 1000 Kg (p.u.d.)



Technical
features,
see page 8



The swivel loading ramp can be installed also when the modules are fitted.
If the loading ramp is fitted, the MDL modules for the areas **2** and **3** must not be longer than 1016 mm. MDL series modules for the area **5** cannot be installed.
It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.





MODULES 1016 MM



Suitable to be installed in the zone: **3 5**

Art. MDL 061

Dimensions: **1016x365x1200 mm** (WxDxH)
Weight: **47,88 Kg**
Module complete with:
2 trays with rubber and 6 adjustable dividers
2 drawers
1 shelf with door
1 hinged door

Suitable to be installed in the zone: **3 5**


Art. MDL 062

Dimensions: **1016x365x1200 mm** (WxDxH)
Weight: **44,57 Kg**
Module complete with:
3 trays with rubber and 9 adjustable dividers
1 drawer
1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**

Art. MDL 063


Dimensions: **1016x365x1200 mm** (WxDxH)
Weight: **26,7 Kg**
Module complete with:
4 trays with rubber and 12 adjustable dividers




Suitable to be installed in the zone: **5**

Art. MDL 064

Dimensions: **1016x365x1200 mm** (WxDxH)
Weight: **50,90 Kg**
Module complete with:
4 trays with rubber and 12 adjustable dividers
1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



Layout example of LH side



Layout example of RH side

8 m³
L1 H1 wheelbase 3078 mm



MASTER Panel Van SL
short wheelbase, low roof

MODULES 1225 MM



Suitable to be installed in the zone: **2**

Order no. MDL 020

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **57,35 Kg**

Module complete with:

- 2 trays with rubber and 8 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2**

Order no. MDL 021

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **55,35 Kg**

Module complete with:

- 3 trays with rubber and 12 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2**

Order no. MDL 022

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **39,40 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers



Suitable to be installed in the zone: **2**

Order no. MDL 023

Dimensions: **1225x365x1200 mm** (WxDxH)

Weight: **39,05 Kg**

Module complete with:

- 2 trays with rubber and 8 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

Technical
features,
see page 5


Accessories
see page 9





FLOORINGS AND LININGS

for MASTER with RH side sliding door and rear leaf doors, sheet metal side walls



A + B Polypropylene linings Art. PAN 206

Weight : **15,57 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Technical features,
see page 5

C Polypropylene linings Art. PAR 206

Weight : **2,85 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring Art. PIL 209

Weight : **36,45 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead Art. PIR 202

Weight : **12,55 Kg**

12 mm wooden phenolic coated bulkhead panel.

ROOF RACK



Art. POT 208

Dimensions: **2500x1600 mm (WxD)**

Weight: **28,70 Kg**

Roof rack complete with:

- 3 aluminium crossmembers with fixing connectors and rubber profile
- 1 additional crossmember with supports
- 2 2500 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 121 Kg (p.u.d.)

Technical features,
see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Art. POS 208

Dimensions: **2650x1580 mm (WxD)**

Weight: **54,35 Kg**

Ladder rack complete with:

- 3 aluminium crossmembers with fixing connectors and rubber profile
- 1 2500 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 2650 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 95 Kg (p.u.d.)

9,1 m³
L1 H2 wheelbase 3078 mm



MASTER Panel Van SM
short wheel base, medium roof

LOADING RAMP

Order no. RAM 202

Dimensions: **1250x2500 mm** (WxD)


Weight: **118,85 Kg**

Swivel loading ramp.

Load capacity: 1000 Kg (p.u.d.)



Technical
features,
see page 8



RAM
202

The swivel loading ramp can be installed also when the modules are fitted.

If the loading ramp is fitted, the MDL modules for the areas **2** and **3** must not be longer than 1016 mm. MDL series modules for the area **5** cannot be installed.

It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.





MODULES 1016 MM



Suitable to be installed in the zone: **3 5**

Order no. MDL 161

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,38 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **3 5**

Order no. MDL 162

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **58,07 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**

Order no. MDL 163

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **40,20 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers



Suitable to be installed in the zone: **5**

Order no. MDL 164


Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **64,40 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp

*approximate measurement



Technical features, see page 5
Accessories see page 9



Layout example of LH side



Layout example of RH side

SFM 250

SFM 150

9,1 m³
L1 H2 wheelbase 3078 mm



MASTER Panel Van SM
short wheel base, medium roof

MODULES 1225 MM



Suitable to be installed in the zone: **2**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers

Suitable to be installed in the zone: **2**


Order no. MDL 123

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **54,65 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Order no. SFM 150

Fixing bar: **1500x30x35 mm** (WxDxH)

Weight: **1,55 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.

Order no. SFM 250


Fixing bar: **2500x30x35 mm** (WxDxH)

Weight: **2,2 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.



The bar is necessary to fix the modules to the vehicle.





FLOORINGS AND LININGS

for MASTER with RH side sliding door and rear leaf doors, sheet metal side walls



A + B Polypropylene linings Art. PAN 207

Weight : **21,05 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Technical features,
see page 5

C Polypropylene linings Art. PAR 206

Weight : **2,85 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring Art. PIL 210

Weight : **44,25 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead Art. PIR 202

Weight : **12,55 Kg**

12 mm wooden phenolic coated bulkhead panel.

ROOF RACK



Order no. POT 209

Dimensions: **3000x1600 mm** (WxD)

Weight: **30,88 Kg**

Roof rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 3000 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 169 Kg (p.u.d.)

Technical features,
see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 209

Dimensions: **3240x1580 mm** (WxD)

Weight: **62,00 Kg**


Ladder rack complete with:

- 4 aluminium crossmembers with fixing connectors and rubber profile
- 2 3000 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 138 Kg (p.u.d.)

10,8 m³
L2 H2 wheelbase 3578 mm



MASTER Panel Van MM
medium wheelbase, medium roof

LOADING RAMP

Order no. RAM 202


Dimensions: **1250x2500 mm** (WxD)
Weight: **118,85 Kg**

Swivel loading ramp.

Load capacity: **1000 Kg** (p.u.d.)



Technical
features,
see page 8



The swivel loading ramp can be installed also when the modules are fitted.
If the loading ramp is fitted, the MDL modules for the areas **2** and **3** must not be longer than 1016 mm.
If the loading ramp is installed the article **MDL 164 cannot be installed** in area **5**.
MDL series modules for the area **5a** cannot be installed.
It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

READY SOLUTIONS



Order no. MDL S24

Dimensions: **2749x365x1700 mm** (WxDxH). Weight: **96,85 Kg**

Set of 2 modules complete with:

- 10 trays with rubber and 38 adjustable dividers
- 1 shelf with door
- 1 fixing bar length 3000 mm



Order no. MDL S25

Dimensions: **1016x365x1700 mm** (WxDxH). Weight: **63,25 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door
- 1 fixing bar length 2000 mm



MODULES 1016 MM



Suitable to be installed in the zone: **3 5**

Order no. MDL 161

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,38 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **3 5**

Order no. MDL 162

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **58,07 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**

Order no. MDL 163


Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **40,20 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers

*approximate measurement



Technical features, see page 5

Accessories see page 9



Suitable to be installed in the zone: **5**


Order no. MDL 164

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **64,40 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



Layout example of LH side



Layout example of RH side

10,8 m³
L2 H2 wheelbase 3578 mm



MASTER Panel Van MM
medium wheelbase, medium roof

MODULES 1225 MM



Suitable to be installed in the zone: **2**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers

Suitable to be installed in the zone: **2**

Order no. MDL 123

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **54,65 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

MODULI 508 mm



Suitable to be installed in the zone: **2a 5a**

Order no. MDL 146

Dimensions: **508x365x1700 mm** (WxDxH)

Weight: **30,80 Kg**

Module complete with:

- 6 trays with rubber and 6 adjustable dividers



Suitable to be installed in the zone: **2a 5a**


Order no. MDL 147

Dimensions: **508x365x1700 mm** (WxDxH)

Weight: **32,70 Kg**

Module complete with:

- 4 trays with rubber and 4 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Order no. SFM 200

Fixing bar: **2000x30x35 mm** (WxDxH)

Weight: **1,88 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.

Order no. SFM 300

Fixing bar: **3000x30x35 mm** (WxDxH)



Weight: **2,60 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.


FLOORINGS AND LININGS

for MASTER with RH side sliding door and rear leaf doors, sheet metal side walls


A + B Polypropylene linings
Order no. PAN 207

 Weight: **21,05 Kg**
Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

 Technical
 features,
 see page 5

C Polypropylene linings
Order no. PAR 206

 Weight: **2,85 Kg**
Polypropylene linings for:

- upper section of rear leaf doors

D Flooring
Order no. PIL 210

 Weight: **44,25 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Order no. PIR 202

 Weight: **12,55 Kg**
12 mm wooden phenolic coated bulkhead panel.


12 m³
L2 H3 wheelbase 3578 mm



MASTER Panel Van MH
medium wheelbase, high roof

LOADING RAMP

Order no. RAM 202


Dimensions: **1250x2500 mm** (WxD)
Weight: **118,85 Kg**

Swivel loading ramp.

Load capacity: 1000 Kg (p.u.d.)



Technical
features,
see page 8



The swivel loading ramp can be installed also when the modules are fitted.
If the loading ramp is fitted, the MDL modules for the areas **2** and **3** must not be longer than 1016 mm.
If the loading ramp is installed the article **MDL 164 cannot be installed** in area **5**.
MDL series modules for the area **5a** cannot be installed.
It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

READY SOLUTIONS



Order no. MDL S24

Dimensions: **2749x365x1700 mm** (WxDxH). Weight: **96,85 Kg**

Set of 2 modules complete with:

- 10 trays with rubber and 38 adjustable dividers
- 1 shelf with door
- 1 fixing bar length 3000 mm



Order no. MDL S25

Dimensions: **1016x365x1700 mm** (WxDxH). Weight: **63,25 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door
- 1 fixing bar length 2000 mm



MODULES 1016 MM



Suitable to be installed in the zone: **3 5**

Order no. MDL 161

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,38 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **3 5**

Order no. MDL 162

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **58,07 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **3 5**

Order no. MDL 163


Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **40,20 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers

*approximate measurement



Technical features, see page 5

Accessories see page 9



Suitable to be installed in the zone: **5**


Order no. MDL 164

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **64,40 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



Layout example of LH side



Layout example of RH side



MODULES 1225 MM

MODULES 508 mm



Suitable to be installed in the zone: **2**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door

Suitable to be installed in the zone: **2**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes

Suitable to be installed in the zone: **2a 5a**

Order no. MDL 146

Dimensions: **508x365x1700 mm** (WxDxH)
Peso: **30,80 Kg**

Module complete with:

- 6 trays with rubber and 6 adjustable dividers



Suitable to be installed in the zone: **2**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers

Suitable to be installed in the zone: **2**

Order no. MDL 123

Dimensions: **1225x365x1700 mm** (WxDxH)
Weight: **54,65 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Suitable to be installed in the zone: **2a 5a**

Order no. MDL 147

Dimensioni: **508x365x1700 mm** (WxDxH)
Weight: **32,70 Kg**

Module complete with:

- 4 trays with rubber and 4 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases



Order no. SFM 200

Fixing bar: **2000x30x35 mm** (WxDxH)

Weight: **1,88 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.

Order no. SFM 300

Fixing bar: **3000x30x35 mm** (WxDxH)

Weight: **2,60 Kg**



Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.



FLOORINGS AND LININGS

for MASTER with RH side sliding door and rear leaf doors, sheet metal side walls



A + B Polypropylene linings Order no. PAN 208

Weight: **22,80 Kg**

Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

Technical
 features,
 see page 5

C Polypropylene linings Order no. PAR 206

Weight: **2,85 Kg**

Polypropylene linings for:

- upper section of rear leaf doors

D Flooring Order no. PIL 211

Weight: **51,40 Kg**

12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead Order no. PIR 202

Weight: **12,55 Kg**

12 mm wooden phenolic coated bulkhead panel.

ROOF RACK



Order no. POT 210

Dimensions: **3400x1600 mm** (WxD)

Weight: **36,50 Kg**

Roof rack complete with:

- 5 aluminium crossmembers with fixing connectors and rubber profile
- 2 3400 mm long aluminium side upstands
- 1 aluminium loading roller

Supplied with **stainless steel** screws for fixing.

Load capacity: 163 Kg (p.u.d.)

Technical
 features,
 see page 7

LADDER RACK

The ladder rack rail can be mounted on the right or on the left hand side of the vehicle



Order no. POS 210

Dimensions: **3400x1580 mm** (WxD)

Weight: **69,00 Kg**

Ladder rack complete with:

- 5 aluminium crossmembers with fixing connectors and rubber profile
- 1 3400 mm long aluminium side upstand
- 1 aluminium loading roller
- 1 ladder rack rail made from stainless steel and aluminium **ALADIN** series, length 3240 mm

Supplied with **stainless steel** screws for fixing.

Load capacity: 131 Kg (p.u.d.)

12,6 m³
L3 H2 wheelbase 4078 mm



MASTER Panel Van LM
long wheelbase, medium roof

LOADING RAMP

Order no. RAM 202


Dimensions: **1250x2500 mm** (WxD)
Weight: **118,85 Kg**

Swivel loading ramp.

Load capacity: **1000 Kg** (p.u.d.)



Technical
features,
see page 8



The swivel loading ramp can be installed also when the modules are fitted.

If the loading ramp is fitted, the MDL modules for the areas **2, 2a** and **3** must not be longer than 1016 mm. If the loading ramp is fitted, the MDL modules for the areas **5a** must not be longer than 508 mm.

If the loading ramp is installed the article **MDL 164 cannot be installed** in area **5**.

It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

READY SOLUTIONS



Order no. MDL S26

Dimensions: **3048x365x1700 mm** (WxDxH). Weight: **100,68 Kg**

Set of 2 modules complete with:
10 trays with rubber and 38 adjustable dividers
1 fixing bar length 3500 mm



Order no. MDL S27

Dimensions: **2032x365x1700 mm** (WxDxH). Weight: **105,30 Kg**

Module complete with:
10 trays with rubber and 30 adjustable dividers
2 drawers
1 shelf with door
1 hinged door
1 fixing bar length 2500 mm


MODULES 1016 MM

 Suitable to be installed in the zone: **3 5**
Order no. MDL 161

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **61,38 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door


 Suitable to be installed in the zone: **3 5**
Order no. MDL 162

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **58,07 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes


 Suitable to be installed in the zone: **3 5**
Order no. MDL 163

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **40,20 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers


 Suitable to be installed in the zone: **2 2a 5a**
Order no. MDL 114

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **62,90 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door


 Suitable to be installed in the zone: **5**
Order no. MDL 164

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **64,40 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



 Suitable to be installed in the zone: **2 2a 5a**
Order no. MDL 116

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **46,70 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers


 Layout example
 of LH side

 Layout example
 of RH side

12,6 m³
L3 H2 wheelbase 4078 mm



MASTER Panel Van LM
long wheelbase, medium roof

MODULES 1016 MM



Suitable to be installed in the zone: **2 2a 5a**

Order no. MDL 115

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,80 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2 2a 5a**

Order no. MDL 117

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,50 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

MODULES 1225 MM



Suitable to be installed in the zone: **2a**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2a**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers



Suitable to be installed in the zone: **2a**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2a**

Order no. MDL 123


Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **54,65 Kg**

Module complete with:


- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

*approximate measurement



Technical features, see page 5

Accessories see page 9




Order no. SFM 250

Fixing bar: **2500x30x35 mm** (WxDxH)

Weight: **2,2 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.




Order no. SFM 350

Fixing bar: **3500x30x35 mm** (WxDxH)


Weight: **2,93 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.


FLOORINGS AND LININGS

for MASTER with RH side sliding door and rear leaf doors, sheet metal side walls


A + B Polypropylene linings
Art. PAN 208

 Weight : **22,80 Kg**
Polypropylene linings for:

- LH side wall
- RH side wall and sliding door
- lower section of rear leaf doors

 Technical
 features,
 see page 5

C Polypropylene linings
Art. PAR 206


 Weight : **2,85 Kg**
Polypropylene linings for:

- upper section of rear leaf doors


D Flooring
Art. PIL 211

 Weight : **51,40 Kg**
12 mm thick wooden flooring phenolic coated and predrilling for lashing hook supports.

F Bulkhead
Art. PIR 202

 Weight : **12,55 Kg**
12 mm wooden phenolic coated bulkhead panel.


13,9 m³
L3 H3 wheelbase 4078 mm



**MASTER furgone lamierato L3 H3
passo lungo, tetto maxi**

LOADING RAMP

Order no. RAM 202


Dimensions: **1250x2500 mm** (WxD)
Weight: **118,85 Kg**

Swivel loading ramp.

Load capacity: 1000 Kg (p.u.d.)



Technical
features,
see page 8



The swivel loading ramp can be installed also when the modules are fitted.

If the loading ramp is fitted, the MDL modules for the areas **2, 2a** and **3** must not be longer than 1016 mm.

If the loading ramp is fitted, the MDL modules for the areas **5a** must not be longer than 508 mm.

If the loading ramp is installed the article **MDL 164 cannot be installed** in area **5**.

It is advisable to ask your nearest STORE VAN distributor for a project feasibility study.

READY SOLUTIONS



Order no. MDL S26

Dimensions: **3048x365x1700 mm** (WxDxH). Weight: **100,68 Kg**

Set of 2 modules complete with:

- 10 trays with rubber and 38 adjustable dividers
- 1 fixing bar length 3500 mm




Order no. MDL S27

Dimensions: **2032x365x1700 mm** (WxDxH). Weight: **105,30 Kg**

Module complete with:

- 10 trays with rubber and 30 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door
- 1 fixing bar length 2500 mm


MODULES 1016 MM

 Suitable to be installed in the zone: **3 5**
Order no. MDL 161

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **61,38 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door


 Suitable to be installed in the zone: **3 5**
Order no. MDL 162

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **58,07 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes


 Suitable to be installed in the zone: **3 5**
Order no. MDL 163

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **40,20 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers


 Suitable to be installed in the zone: **2 2a 5a**
Order no. MDL 114

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **62,90 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door


 Suitable to be installed in the zone: **5**
Order no. MDL 164

 Dimensions: **1016x365x1700 mm** (WxDxH)

 Weight: **64,40 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers
- 1 retractable vice workbench complete with steel vice with 100 mm jaws and 1/2" to 1 1/2" pipe clamp



 Suitable to be installed in the zone: **2 2a 5a**
Order no. MDL 116

 Dimensions: **1016x365x1700 mm** (WxDxH)


 Weight: **46,70 Kg**

Module complete with:

- 6 trays with rubber and 18 adjustable dividers



13,9 m³
L3 H3 wheelbase 4078 mm



MASTER Panel Van LH
long wheelbase, high roof

MODULES 1016 MM



Suitable to be installed in the zone: **2 2a 5a**

Order no. MDL 115

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **61,80 Kg**

Module complete with:

- 5 trays with rubber and 15 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2 2a 5a**

Order no. MDL 117

Dimensions: **1016x365x1700 mm** (WxDxH)

Weight: **46,50 Kg**

Module complete with:

- 4 trays with rubber and 12 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

MODULES 1225 MM



Suitable to be installed in the zone: **2a**

Order no. MDL 120

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **72,95 Kg**

Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 2 drawers
- 1 shelf with door
- 1 hinged door



Suitable to be installed in the zone: **2a**

Order no. MDL 122

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **55,00 Kg**

Module complete with:

- 6 trays with rubber and 24 adjustable dividers



Suitable to be installed in the zone: **2a**

Order no. MDL 121

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **70,95 Kg**

Module complete with:

- 5 trays with rubber and 20 adjustable dividers
- 1 drawer
- 1 retractable shelf for tool cases complete with tool cases and boxes



Suitable to be installed in the zone: **2a**

Order no. MDL 123

Dimensions: **1225x365x1700 mm** (WxDxH)

Weight: **54,65 Kg**


Module complete with:

- 4 trays with rubber and 16 adjustable dividers
- 1 shelf with door
- 1 connection bar with fixing belts for tool cases

*approximate measurement

Technical features, see page 5

Accessories see page 9



Order no. SFM 250

Fixing bar: **2500x30x35 mm** (WxDxH)

Weight: **2,2 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.




Order no. SFM 350

Fixing bar: **3500x30x35 mm** (WxDxH)

Weight: **2,93 Kg**

Fixing bar for modules, complete with brackets, bolts and screws.

The bar is necessary to fix the modules to the vehicle.



FAMI S.r.l.
 Via Stazione Rossano, 13
 36027 Rosà, Vicenza ITALY
 Tel. +39 0424 585554
 Fax +39 0424 585482
 www.storevan.com
 info@storevan.com

YOUR STOREVAN PARTNER



**PROFESSIONALITY
 IN MOVEMENT**